





PEACE S SQUARE BUILDTECH

Ummehani Plaza, Ground Floor, Opposite S.K. Marriage Park, Behind Sumaiyya Residency, Haroon Nagar (Sector –1), Phulwari Shariff, Patna – 801505 E-mail: peacessquarebuildtech@gmail.com, Web : www.peacessquare.com



Architects:

POINTLINE ARCHITECTS

Shop No. AX-05, Haji Harmain Market, Phulwari Sharif, Patna, Bihar Mobile : 7033602464

For Booking, Contact:


76777 84444, 91224 44991

Min. In and the American State of the Control of th

DISCLAIMER: This brochure and all concepts depicted in it are the intellectual property of the builder/promoter. The builder/promoter reserves the right to make changes in the project without any printimation to any person or party. The project has received all prerequisite approvals mandated by the concerned government bodies. For more details, please contact the builder/promoter. The image graphics, wit and a review set legal type representational purpose. Graphic Designer's Printer does not had a very exponsibility of the same.









AREA STATEMENT

FLAT NO.	TYPE	S/B/UP AREA
101	3 BHK	1292.03 SQ. FT.
102	3 BHK	1473.56 SQ. FT.
103	3 BHK	1426.04 SQ. FT.
104	3 BHK	1291.60 SQ. FT.
201	3 BHK	1292.03 SQ. FT.
202	3 BHK	1473.56 SQ. FT.
203	3 BHK	1426.04 SQ. FT.
204	3 BHK	1291.60 SQ. FT.
301	3 BHK	1292.03 SQ. FT.
302	3 BHK	1473.56 SQ. FT.
303	3 BHK	1426.04 SQ. FT.
304	3 BHK	1291.60 SQ. FT.
401	3 BHK	1292.03 SQ. FT.
402	3 BHK	1473.56 SQ. FT.
403	3 BHK	1426.04 SQ. FT.
404	3 BHK	1291.60 SQ. FT.

PAYMENT PLAN

1	At the time of Booking	10%
2	At the time of Piling work.	10%
3	At the time of first floor roof slab casting	20%
4	At the time of second floor roof slab casting	10%
5	At the time of third floor roof slab casting	15%
6	At the time of fourth floor roof slab casting	10%
7	Before Brick work and Plaster work	10%
8	On completion of Flooring work	10%
9	Before Possession	5%



TYPICAL FLOOR PLAN



FLAT NO. 1, FLAT TYPE : 3 BHK



FLAT NO. 2, FLAT TYPE: 3 BHK



FLAT NO. 3, FLAT TYPE: 3 BHK



FLAT NO. 4, FLAT TYPE: 3 BHK

ISOMETRIC VIEW





LIFT








CCTV

PARKING











BRANDED SANITARY WARE



INTERCOM

Specifications

STRUCTURE

R.C.C. earthquake resistance structural with brick wall/fly ask as per design.

DOOR FRAMES

Door frame (Chaukhat) of Sal Wood with beating.

ENTRANCE DOOR

Entrance door shutters of 30 mm thick ISI mark one side Teak with Decorative beating/ designer skin venier.

OTHER DOORS

30 mm thick ISI mark factory made to shutter.

WINDOW

Fully glazed two track aluminum window with fly screen.

FLOORING

Designer Vitrified Flooring of ISI mark

KITCHEN

- (a) Flooring designer concept of ISI mark or equivalent tiles floor
- (b) Working platform : Black granite slab.
- (c) Dado 24" designer concept or equivalent tiles
- (d) Sink : Steel Sink
- (e) Water hot and cold for instant geyser point.
- (f) Aqua guard point in kitchen

DINING SPACE

One number ISI mark of equivalent white colour hand wash basin.

BATHROOM

- (a) Flooring Designer concept or equivalent tiles flooring.
- (b) Wall Designer Bathroom concept upto 7' height
- (c) Sanitary ware White glazed vitreous and wash basin of ISI mark.
- (d) Fitting Chromium plated C.P. fitting of ISI mark.
- (e) Water Hot & Cold in both toilets.

ELECTRICAL

- (a) All internal wiring in concealed conduits with copper wires
- (b) All electrical modular switches accessories of ISI marks.
- (c) Adequate lighting/power points sockets. outlets etc provided in all room

TV/CABLE & TELEPHONE SUPPLY

One TV point in two room and one telephone plug provided in

drawing room and master bedroom

INTERCOM

Intercom provided in all flats.

INTERNAL WALL

All internal walls shall be finished with white putty/Paris with primer.

EXTERNAL WALL FINISH

Finished with wall putty & weather coat paint

PARKING AREA

FLOORING

Designer parking tiles of ISI mark in covered area and pay inter locking tiles in open area

STAIR LANDING & ENTRANCE

Designer Tiles/Marble flooring with S.S. railing

WATER PROOFING SUNKEN SLAB TO TIOLET

Double coat of Teenoxy treatment

WATER PROOFING AND HEAT TREATMENT ON TOP ROOF

Water proofing of top slab by water proofing chemical and heat product treatment by backbat with chemical mixed plaster on top floor finishing.

OVERHEAD WATER TANK

Overhead water tank of adequate capacity.

BORING AND TUBE WELL

Boring & tube well of adequate capacity with adequate size ISI make submersible pump.

GENERATOR

- (a) Supply of 400 watt to each flat & common light lift & pump.
- (b) ISI mark silent Generator of adequate capacity.

LIFT

6 passenger capacity lift.

SECURITY & AUTOMATION

CCTV cameras at strategic point in the common area with digital video recorder.