



Mob.: 8445480977

MAA VINDESHWARI CONSTRUCTION Pvt. Ltd.

GST No. : 10AANCM6829RIZS

CIN No. : U45400BR2020PTC047432

Add :- R.N.City, Block-G, Flat No.-303, R.K. Puram, Blue Bells Academy, Danapur, Patna-801503

Date :

Declaration of Previous Project.

I, Munna Kumar, Director of MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED Address- C/O –Bhavani Devi, W/O – Satyendra Singh, Vill – Bhelain, Panch-Ekwana, Block- Udwanthnagar, Bhojpur, Pin-802210, Bihar, India, do hereby **solemnly declare, undertake and state as under :-**

1. We have no other project **IN PREVIOUS 5 YEARS**
2. It is my 1st Project.

Maa Vindheshwari Construction Pvt. Ltd.

Munna Kumar

Director



Mob.: 8445480977

MAA VINDESHWARI CONSTRUCTION Pvt. Ltd.

GST No. : 10AANCM6829RIZS

CIN No. : U45400BR2020PTC047432

Add :- R.N.City, Block-G, Flat No.-303, R.K. Puram, Blue Bells Academy, Danapur, Patna-801503

Date :

Details of Project taken up by the each Promoter of the Individual Capacity & other entities during last 5 Years

We, Munna Kumar, Anuradha Singh Director of MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED Address- C/O –Bhavani Devi, W/O – Satyendra Singh, Vill – Bhelain, Panch-Ekwana, Block- Udwantnagar, Bhojpur, Pin-802210, Bihar, India,, do hereby **solemnly declare, undertake and state as under :-**

DIRECTOR NAME	PROMOTER NAME	PROJECT NAME
MUNNA KUMAR	MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED	NO ANY PREVIOUS PROJECT
ANURADHA SINGH	MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED	NO ANY PREVIOUS PROJECT

Case Status :-There is no case against any of the Directors and there is no complaint case on any previous Project.

Maa Vindheshwari Construction Pvt. Ltd.

Munna Kumar Director



Mob.: 8445480977

MAA VINDESHWARI CONSTRUCTION Pvt. Ltd.

GST No. : 10AANCM6829RIZS

CIN No. : U45400BR2020PTC047432

Add :- R.N.City, Block-G, Flat No.-303, R.K. Puram, Blue Bells Academy, Danapur, Patna-801503

Date :.....

Declaration of Real Estate Agent.

I, Munna Kumar, Director of MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED Address- C/O –Bhavani Devi, W/O – Satyendra Singh, Vill – Bhelain, Panch-Ekwana, Block- Udwanthnagar, Bhojpur, pin-802210, Bihar, India, do hereby solemnly declare as

We have no any Real Estate Agent in RERA.

Maa Vindheshwari Construction Pvt. Ltd.

Munna Kumar

Director



Mob.: 8445480977

MAA VINDESHWARI CONSTRUCTION Pvt. Ltd.

GST No. : 10AANCM6829RIZS

CIN No. : U45400BR2020PTC047432

Add :- R.N.City, Block-G, Flat No.-303, R.K. Puram, Blue Bells Academy, Danapur, Patna-801503

Date :

Declaration of Brochure

I, Munna Kumar, Director of MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED
Address- C/O –Bhavani Devi, W/O – Satyendra Singh, Vill – Bhelain, Panch-Ekwana, Block- Udwanthnagar, Bhojpur, pin- 802210, Bihar, India declare that I will provide a copy of the brochure after receiving the RERA Certificate.

Maa Vindheshwari Construction Pvt. Ltd.

Munna Kumar

Director



Mob.: 8445480977

MAA VINDESHWARI CONSTRUCTION Pvt. Ltd.

GST No. : 10AANCM6829RIZS

CIN No. : U45400BR2020PTC047432

Add :- R.N.City, Block-G, Flat No.-303, R.K. Puram, Blue Bells Academy, Danapur, Patna-801503

Date :

Declaration of Airport NOC.

I, Munna Kumar, Director of MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED Address- C/O – Bhavani Devi, W/O – Satyendra Singh, Vill – Bhelain, Panch-Ekwana, Block- Udwantnagar, Bhojpur, pin-802210, Bihar, India, do hereby **solemnly declare, undertake and state as under :-**

Project – **TEJASWINI ENCLAVE** is outside the CCZM zone area, hence airport is not applicable on this project.

Maa Vindheshwari Construction Pvt. Ltd.

Munna Kumar Director

निदेशक-सह-राज्य अग्निशमन पदाधिकारी का कार्यालय, बिहार, पटना।

पत्रांक... 10564
दिनांक... 31.10.2024



0612-2330035

sfo cum director-bih@gov.in

प्रपत्र-ड

औपबंधिक अग्नि निवारण एवं अग्नि सुरक्षा अनापत्ति प्रमाण पत्र
बिहार अग्निशमन सेवा अधिनियम, 2014 की धारा-02 की उपधारा-(छ) के अधीन
बिहार अग्निशमन सेवा नियमावली, 2021 के नियम 15(च)(iii) के अन्तर्गत

File No.- 210/2023

प्रेषक,

निदेशक,
राज्य अग्निशमन सेवा,
बिहार, पटना।

सेवा में,

श्री मुन्ना कुमार,
पिता- श्री सत्येन्द्र प्रसाद सिंह,
पटना।

आवेदनकर्ता वास्तुविद, आजीत (विशिष्ट आई.डी.नं० CA/2020/124274)

विषय :-

भवन निर्माण के लिए औपबंधिक अनापत्ति प्रमाण पत्र निर्गत।

महाशय,

राज्य अग्निशमन सेवा, बिहार, पटना के द्वारा गठित अग्नि सुरक्षा एवं निवारण स्कंध (FSPW) की संतुष्टि के उपरान्त व उक्त समिति में शामिल विशेषज्ञों की अनुशंसा के आलोक में भवन निर्माणकर्ता मुन्ना कुमार के द्वारा प्रस्तावित भवन/ब्लॉक का निर्माण हेतु बिहार अग्निशमन सेवा नियमावली, 2021 के नियम 15(च)(iii) के अंतर्गत औपबंधिक अनापत्ति प्रमाण पत्र निर्गत किया जाता है।

प्रस्तावित भवन योजना से संबंधित भवन का नाम श्री मुन्ना कुमार, पिता-श्री सत्येन्द्र प्रसाद सिंह एवं अन्य, प्लॉट नं०-1141, खाता नं०-56, थाना नं०-41, मौजा-लखनीबिगहा, जिला-पटना, अधिभोग आवासीय, उप श्रेणी आवासीय भवन की ऊँचाई 14.95 (मीटर में) फर्श क्षेत्र 2755 वर्गमीटर, भवन के तलों की संख्या 4, तलघर की संख्या 1, स्लिट/भूतल की संख्या 1, भवन के ब्लॉक की संख्या 1, प्रत्येक मंजिल का औसत अधिभोग भार 30, लिफ्ट की संख्या 1, फायर लिफ्ट की संख्या 1, रैम्प की संख्या 1, आपातकालीन शरण स्थल (रिफ्यूजी एरिया) की संख्या 0, फायर टावर की संख्या 0 है। राष्ट्रीय भवन संहिता के दिशा-निर्देश, स्थानीय भवन नियमावली एवं स्थानीय परिस्थिति के आधार पर निम्नलिखित सलाह/अनुशंसा के साथ भवन निर्माण योजना की स्वीकृति दी जाती है, जिसका अनुपालन संबंधित वास्तुविद/भवन निर्माणकर्ता/भू-स्वामी के द्वारा किया जाएगा।

भवन योजना पर प्रतिहस्ताक्षर के बाद आपके अनुमोदन हेतु अग्रसारित किया जाता है :-

(1) भवन निर्माणकर्ता द्वारा भवन के लिए खुली जगह (मीटर) (उत्तर 6.0 मी०, दक्षिण 4.0 मी०, पूर्व 2.0 मी०, पश्चिम 2.0 मी०) एवं पलायन के साधन (आंतरिक सीढ़ियों की संख्या 1, चौड़ाई 1.2 (मीटर)/बाह्य सीढ़ियों की संख्या 2, चौड़ाई 2.13, .76 (मीटर) प्रस्तावित किया गया है।

(2) खुला स्थान एवं पहुँच-

(क) भवन के चारों तरफ तत्समय प्रवृत्त भवन उपविधि एवं अन्य तत्संबंधी अधिनियम/नियम/विनियमन/स्थानीय आवश्यकता के अनुसार खुला स्थान होगा एवं अग्निशमन दस्ते के पहुँच एवं घुमाने के लिए न्यूनतम 3.60 मीटर जगह (भवन श्रेणी एवं निर्माण के अनुसार परिवर्तनीय) छोड़ा जाना चाहिए।

(ख) भवन का पहुँच पथ मजबूत एवं चौड़ी हो जो 20 मिट्रिक टन अग्निशामक वाहन का भार आसानी से सहन कर सके।

(ग) भवन के प्रवेश द्वार की चौड़ाई 4.5 मीटर एवं ऊँचाई 5 मीटर से कम नहीं होना चाहिए।

(3) बनावट :-

(क) प्रस्तावित भवन का पूरा निर्माण अनुमोदित योजना के अनुसार बिहार भवन उपविधि, 2014 समय-समय पर यथा संशोधित तथा स्थानीय नगर निकाय के भवन संबंधी नियमों को ध्यान में रखकर किया जाएगा।

(ख) भवन का फर्श क्षेत्र 750 वर्गमीटर से अधिक होने की स्थिति में अलग-अलग दिवारों से उचित रूप से छत तक बँटा जाएगा, जिसमें कम से कम दो घंटे तक अग्नि प्रतिरोधक क्षमता होगा।

(ग) भवन की आंतरिक सजावट अग्नि फैलाव निरोधक सामग्री से बना हुआ आई0एस0 गुण स्तर का होगा।

(घ) भवन के केन्द्रीय कोर डक्ट का crown के पास वेंटीलेशन का प्रावधान होगा। सभी उर्ध्व डक्ट का सीढ़ी पर्याप्त अग्नि निरोधक क्षमता के सामग्री से करने का व्यवस्था करना होगा।

(4) सीढ़ी :-

(क) भवन का सीढ़ी बंद प्रकार का होगा। पूरे भवन निर्माण कार्य ईट/आर.सी.सी. से न्यूनतम 04 घंटे के अग्नि प्रतिरोधक क्षमता का होगा।

(ख) भवन का सीढ़ी के उपरी भाग में स्थायी भेन्ट होगा जो सीढ़ी के क्रॉस सेक्शन एरिया का 05 प्रतिशत होगा। साथ ही सीढ़ी के क्रॉस सेक्शन क्षेत्र का 15 प्रतिशत क्षेत्र के बराबर प्रत्येक मंजिल के स्तर पर खुलने योग्य Sashes होगा। यह भवन के बाहरी दीवार पर प्रदान किया जाएगा।

(ग) भवन के सभी सीढ़ियों का निर्माण कमरे से अलग होगा एवं किसी भी कमरे में प्रवेश किये बिना हर मंजिल पर एक दूसरे से परगम्य होगा, जिसे संबंधित छत के लेवल तक बढ़ाया जाएगा। सीढ़ी वाली दीवाल की छत आस-पास की छत के क्षेत्र से 1 मीटर ऊपर होगी।

(घ) विभिन्न श्रेणी के भवनों में सीढ़ी की चौड़ाई तथा कोरिडोर एवं यात्रा दूरी संबंधित भवन नियमों के अनुसार होगा।

(ङ) दो सीढ़ी के मामले में एक सीढ़ी बाहरी दीवाल से होनी चाहिए।

(च) तलघर तक पहुँच के लिए दोनों सीढ़ी तलघर मंजिल तक नहीं जाना चाहिए। पहुँच के लिए एक अलग सीढ़ी होगा।

(5) अग्नि सुरक्षा प्रणाली :- राष्ट्रीय भवन संहिता, 2016 समय-समय पर यथा संशोधित के प्रावधानों के आलोक में निम्नलिखित अग्नि सुरक्षा उपायों के प्रावधान के साथ अनुमोदित भवन योजना अग्रसारित किया जाता है:-

(क) होज रील

(ख) वेट राईजर-सह-डाउन कमर सिस्टम (01 अदद)

(ग) यार्ड हाईड्रेंट सिस्टम

(घ) हस्तचालित विद्युत अग्नि एलार्म सिस्टम

(ङ) पूरे भवन में ऑटोमेटिक डिटेक्शन एण्ड अलार्म सिस्टम

(च) स्प्रिंकलर सिस्टम (आवश्यकतानुसार)

(छ) भूतल स्टैटिक टैंक की क्षमता 20400 लीटर

(ज) ओभर हेड वाटर टैंक 31185 लीटर क्षमता प्रति ब्लॉक

(झ) एक पम्प हाउस 1620 एल.पी.एम. इलेक्ट्रीक एवं डीजल, 180 एल.पी.एम. जॉकी पम्प, 900 एल.पी.एम. बूस्टर पम्प

(ञ) फायर एक्सटिंग्यूअर

(6) संबंधित अधिनियम/नियम/विनियमन जैसे- बिहार भवन उपविधि, 2014, समय-समय पर यथा संशोधित राष्ट्रीय भवन संहिता, 2016, समय-समय पर यथा संशोधित बहुमंजिली भवन निर्माण विनियम, 1981, बिहार अग्निशमन सेवा अधिनियम, 2014, बिहार अग्निशमन सेवा नियमावली, 2021 में संबंधित अधिभाग के लिए वांछित अन्य शर्तों का पालन किया जाएगा। कुछ शर्तें निम्न प्रकार हैं :-

(क) लिफ्ट :-

(i) भवन का लिफ्ट की दीवार न्यूनतम 02 घंटे का अग्नि निरोधक क्षमता का होगा।

(ii) भवन का लिफ्ट उच्च गति "फायर लिफ्ट" पर डिजाइन की जाएगी और योजना में स्पष्ट रूप से चिन्हित होगा।

(iii) सामान्य विद्युत आपूर्ति की विफलता के मामले में, स्वचालित वैकल्पिक व्यवस्था होना चाहिए। अपार्टमेंट भवनों के लिए विद्युत आपूर्ति में परिवर्तन हेतु हस्ताचालित परिवर्तनीय स्वीच के माध्यम से यह व्यवस्था किया जा सकता है। वैकल्पिक रूप से लिफ्ट इस तरह से वायर्ड होगा कि बिजली की विफलता की स्थिति में भी यह जमीन स्तर तक आयेगा एवं दरवाजा आसानी से खुल सकेगा।

(iv) आग लगने की स्थिति में प्रति घंटा 30 बार हवा परिवर्तन करने हेतु स्मोक वेटिंग सिस्टम का समावेश सभी लिफ्ट सॉफ्ट में कर धुँआ निकासी हेतु व्यवस्था की जाएगी। यह इस प्रकार का डिजाइन किया जाएगा कि स्प्रिंकलर एवं फायर एलार्म क्रियाशील हो सके। सामान्य विद्युत आपूर्ति की विफलता के मामले में यह स्वचालित रूप से वैकल्पिक आपूर्ति के लिए कार्य करेगा।

(v) अग्नि नियंत्रण कक्ष के साथ लिफ्ट का संचार व्यवस्था बनाये रखने सहित अन्य सभी आवश्यकताएँ आईएस0 गुण स्तर के अनुरूप करना होगा, जिसमें भवन के लिफ्ट कार, अग्नि नियंत्रण कक्ष के साथ जुड़ी होनी चाहिए, जिससे संचार व्यवस्था बनी रहे।

(vi) राष्ट्रीय भवन संहिता, 2016 समय-समय पर यथा संशोधित से संबंधित प्रावधानों का पालन करते हुए फायर लिफ्ट होना चाहिए जैसे 1200 वर्गमीटर के फर्श क्षेत्र के लिए एक फायर लिफ्ट होना चाहिए।

(ख) भवन में सक्रिय अग्नि सुरक्षा प्रणाली जैसे प्रत्येक मंजिल पर लैण्डिंग भत्व के साथ डाउन कमर सिस्टम एवं होज रील, छत स्तर पर 900 एल0पी0एम0 पम्प के साथ होगा। आईएस0 2190/1992 तथा संबंधित विशिष्टियों का आईएस0आई0 मार्कड अग्निशमन यंत्र, फायर चेक दरवाजा, हस्ताचालित कॉल अलार्म प्वाइन्ट, अग्नि सुरक्षा चमकीला संकेत एवं भवन निर्माण संहिता के अनुसार अन्य अग्नि निरोध उपाय किये जायेंगे।

(ग) तलघर में स्वचालित स्प्रिंकलर सिस्टम होना चाहिए एवं दो अलग-अलग निकास द्वार होना चाहिए।

(घ) भूतल जल स्टैटिक टैंक (20,000 लीटर से कम क्षमता का नहीं) स्वचालित रिफिलिंग की व्यवस्था के साथ हो, जहाँ अग्निशामक वाहन आसानी से पहुँच सके। ओभर हेड वाटर स्टैटिक टैंक (10,000 लीटर क्षमता से कम नहीं) अधिवास के पूर्व हो जाना चाहिए।

(ङ) भवन के प्रत्येक मंजिल पर विद्युत केबुल सील होनी चाहिए।

(च) भवन का कम्पार्टमेन्टेशन इस प्रकार होगा कि आग एवं धुँआ उसी क्षेत्र में सीमित रहेगा जहाँ अग्निकांड हुआ है तथा भवन के अन्य भागों में नहीं फैले।

(छ) भवन के अलगाव दीवार एवं फ्लोर में खुला स्थान - ऐसे सभी प्रकार के तथ्यों पर ध्यान देना होगा जो आग एवं धुँआ के फैलाव को इन खुला स्थानों में प्रवेश को सीमित कर सके और बनावट का फायर रेटिंग बरकरार रह सके। सभी दीवार में खुला स्थान न्यूनतम दो घंटे की फायर रेटिंग के अग्नि निरोधक दरवाजा से सुरक्षित रहेगा। मंजिलों में सभी खुला स्थान Vertical Enclosure से सुरक्षित रहेगा एवं ऐसे Enclosure का दीवार न्यूनतम दो घंटे की फायर रेटिंग का होगा।

(ज) मंजिलों के प्रत्येक Vertical Openings यथोचित रूप से बंद एवं सुरक्षित रहेगा तथा निम्नलिखित व्यवस्थाएँ की जाएगी :-

(i) पलायन के रास्ता का प्रयोग करते वक्त अधिवासियों को मंजिल दर मंजिल खुले स्थान से आग एवं धुँआ के फैलाव को रोकने के लिए पर्याप्त सुरक्षा प्रदान करना होगा। यह सुनिश्चित करना होगा कि अधिवासियों के निकासी मार्ग में कम से कम 21 मिली मीटर का उपरी भाग खुला हो।

(ii) दो घंटों की फायर रेटिंग का अग्नि दरवाजा बाहर भागने/निकलने के रास्ते एवं लिफ्ट में प्रवेश के रास्ते तथा सीढ़ी पर एवं अन्य उपयुक्त स्थानों पर आग एवं धुँआ के फैलाव को रोकने के लिए दिया जाएगा।

(iii) निकासी मार्ग का सुरक्षित प्रयोग हेतु स्मोक वेन्टिंग सुविधा प्रदान किया जाएगा।

(iv) आंतरिक सजावट से जहरीला धुँआ के उत्पन्न होने से बचाने हेतु धुँआ निरोधी सामग्रियों का प्रयोग किया जाएगा।

(v) भवन के निकासी मार्ग (सीढ़ी एवं कोरिडोर) का रौशनीकरण/सीढ़ियों का प्रेसराइजेशन/तलघर का वेन्टिलेशन राष्ट्रीय भवन संहिता, 2016 समय-समय पर यथा संशोधित के अनुसार करना होगा।

(vi) एयर कंडिशनिंग एवं वेन्टिलेशन सिस्टम को इस प्रकार अधिष्ठापित किया जाएगा, जिससे आग एवं धुँआ एक फ्लोर से दूसरे फ्लोर और भवन से बाहर नहीं फैल सके। एयर फिल्टर में आग लगने पर धुँआ को फैलने से बचाने के लिए स्मोक सेन्सिटिव डिवाइस भवन में होना चाहिए। प्रत्येक तल पर आग और धुँआ के हजारों से बचाने के लिए प्रत्येक तल पर अलग-अलग एयर हैंडलिंग यूनिट होना चाहिए। फायर डंपर्स को ए0सी0 सिस्टम में प्रदान किया जाएगा, ताकि आग की स्थिति में स्वचालित रूप से बंद हो सके और इस तरह अग्नि/धुँआ का फैलाव रोका जा सके।

0. /

(vii) विद्युत अधिष्ठापन— विद्युत सुरक्षा भारतीय विद्युत नियमावली एवं संबंधित आई0एस0/संहिता के प्रावधान के आलोक में होगा। लाईसेंस विद्युत ठेकेदार के द्वारा विद्युत अधिष्ठापन किया जाएगा। मुख्य रूप से अलग नली में वायरिंग, अलग सर्किट, स्वचालित सर्किट ब्रेकर, मास्टर स्वीच, इंसपेक्शन पैनल दरवाजा, आपातकालीन/वैकल्पिक विद्युत आपूर्ति का आवधिक सत्यापन आदि पर ध्यान दिया जाएगा।

(viii) भवन का अधिवास प्राप्त करने के बाद प्रत्येक वर्ष कम से कम दो बार नियमित रूप से फायर एक्जीट ड्रिल किया जाना चाहिए।

(ix) अग्नि सुरक्षा अधिकारी—एन0बी0सी0 2016 और बिहार अग्निशमन सेवा अधिनियम, 2014 के अनुसार।

(x) भवन में अधिष्ठापित अग्निशमन उपकरणों आदि का ए0एम0सी0 योग्य फर्म या व्यक्ति को दिया जाना चाहिए।

(xi) स्थापित नियम के आलोक में भवन के सेट बैंक का चेकिंग वास्तुविद/पारित करने वाले द्वारा किया जाएगा।

(xii) यह स्पष्ट किया जाता है कि उपरोक्त सिफारिशों का पालन नहीं करने की स्थिति में भविष्य में होने वाली किसी भी कानूनी विवाद के मामले में, जिम्मेवारी डेवलपर्स/वास्तुविद/जमीन मालिक पर होगी एवं किसी भी सरकारी प्राधिकार (जैसे कि निदेशक—सह—राज्य अग्निशमन पदाधिकारी, बिहार, पटना) की नहीं होगी।

(xiii) इसके द्वारा यह भी स्पष्ट किया जाता है कि इस कार्यालय (अर्थात निदेशक—सह—राज्य अग्निशमन पदाधिकारी, बिहार, पटना/प्राधिकृत पदाधिकारी) का कार्यालय उस भूमि के किसी भी कानूनी विवाद के लिए जिम्मेवार नहीं है, जिसपर प्रस्तावित भवन का निर्माण होगा।

(7) अनिवार्यतः अन्डरटेकिंग्स के सभी प्रावधानों का पालन करना होगा।

(8) इसे औपबंधिक अनापत्ति प्रमाण पत्र माना जाएगा। उपरोक्त सभी अग्नि एवं जीवन सुरक्षा अनुशंसाओं के अनुपालन के बाद आवश्यक निरीक्षण एवं अधिष्ठापन के जाँच हेतु राज्य अग्निशमन कार्यालय को सूचित करना होगा। सभी बिन्दुओं की जाँच से संतुष्टि के बाद अंतिम अग्नि निवारण एवं अग्नि सुरक्षा अनापत्ति प्रमाण पत्र निर्गत किया जाएगा।

(9) अनुमोदित भवन योजना में बिना पूर्व स्वीकृति के किसी भी प्रकार का विचलन या परिवर्तन किये जाने की स्थिति में इस औपबंधिक अनापत्ति प्रमाण पत्र को रद्द कर दिया जाएगा।

(10) हस्ताक्षर एवं मुहर के साथ नक्शा वापस किया जाता है।

अनुलग्नक:-

- 1) वास्तुविद, आजीत
- 2) अध्यक्ष, नगर निगम, पटना।

निदेशक—सह—राज्य अग्निशमन पदाधिकारी,
बिहार, पटना।

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment Year

2022-23

PAN	BGGPK8985B		
Name	MUNNA KUMAR		
Address	S/O SATEYENDRA PRASAD SINGH , BHELAI,CHORAIN BHOJPUR , UDWANT NAGAR,BHOJPUR , 05-Bihar , 91-INDIA , 802210		
Status	Individual	Form Number	ITR-2
Filed u/s	139(5)-Revised	e-Filing Acknowledgement Number	899619040311222

Taxable Income and Tax details	Current Year business loss, if any	1	0
	Total Income		86,38,880
	Book Profit under MAT, where applicable	2	0
	Adjusted Total Income under AMT, where applicable	3	86,38,880
	Net tax payable	4	19,19,376
	Interest and Fee Payable	5	1,90,590
	Total tax, interest and Fee payable	6	21,09,966
	Taxes Paid	7	21,09,968
Accreted Income & Tax Details	(+) Tax Payable / (-) Refundable (6-7)	8	(-) 0
	Accreted Income as per section 115TD	9	0
	Additional Tax payable u/s 115TD	10	0
	Interest payable u/s 115TE	11	0
	Additional Tax and interest payable	12	0
	Tax and interest paid	13	0
	(+) Tax Payable / (-) Refundable (12-13)	14	0

Income Tax Return submitted electronically on 31-Dec-2022 13:47:08 from IP address 106.202.220.22 and verified by MUNNA KUMAR having PAN BGGPK8985B on 31-Dec-2022 using Electronic Verification Code X4LESC9DWI generated through Aadhaar OTP mode.

System Generated

Barcode/QR code



BGGPK8985B0289961904031122227237bcf0b8132d65d2b8096f449db7eea19c7c1

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1(SAHAJ), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment
Year
2023-24

PAN	BGGPK8985B		
Name	MUNNA KUMAR		
Address	S/O SATEYENDRA PRASAD SINGH , BHELAI, CHORAIN BHOJPUR, UDWANT NAGAR, BHOJPUR, 05-Bihar, 91-INDIA, 802210		
Status	Individual	Form Number	ITR-1
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	120922040310723

Taxable Income and Tax Details	Current Year business loss, if any	1	0
	Total Income	2	22,420
	Book Profit under MAT, where applicable	3	0
	Adjusted Total Income under AMT, where applicable	4	0
	Net tax payable	5	0
	Interest and Fee Payable	6	0
	Total tax, interest and Fee payable	7	0
	Taxes Paid	8	0
	(+) Tax Payable /(-) Refundable (7-8)	9	0
Accreted Income and Tax Detail	Accreted Income as per section 115TD	10	0
	Additional Tax payable u/s 115TD	11	0
	Interest payable u/s 115TE	12	0
	Additional Tax and interest payable	13	0
	Tax and interest paid	14	0
	(+) Tax Payable /(-) Refundable (13-14)	15	0

Income Tax Return submitted electronically on 31-Jul-2023 17:01:50 from IP address 49.37.72.244 and verified by MUNNA KUMAR having PAN BGGPK8985B on 06-Dec-2023 using paper ITR-Verification Form /Electronic Verification Code 74W8ZFDCHI generated through Aadhaar OTP mode

System Generated

Barcode/QR Code



BGGPK8985B011209220403107235586c678bdb06b467fc30d00e7db2c9611c7338e

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

*If the return is verified after 30 days of transmission of return data electronically, then date of verification will be considered as date of filing the return (Notification No.05 of 2022 dated 29-07-2022 issued by the DGIT (Systems), CBDT)."

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1(SAHA)), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7
filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment
Year
2024-25

PAN	BGGPK8985B		
Name	MUNNA KUMAR		
Address	S/O SATEYENDRA PRASAD SINGH , BHELAI,CHORAIN BHOJPUR , UDWANT NAGAR,BHOJPUR , 05-Bihar, 91-India, 802210		
Status	Individual	Form Number	ITR-3
Filed u/s	139(1)- On or Before due date	e-Filing Acknowledgement Number	981225050260724

Taxable Income and Tax Details

Current Year business loss, if any	1	0
Total Income	2	8,09,720
Book Profit under MAT, where applicable	3	0
Adjusted Total Income under AMT, where applicable	4	0
Net tax payable	5	37,411
Interest and Fee Payable	6	1,873
Total tax, interest and Fee payable	7	39,284
Taxes Paid	8	39,280
(+) Tax Payable /(-) Refundable (7-8)	9	0

Accreted Income and Tax Detail

Accreted Income as per section 115TD	10	0
Additional Tax payable u/s 115TD	11	0
Interest payable u/s 115TE	12	0
Additional Tax and interest payable	13	0
Tax and interest paid	14	0
(+) Tax Payable /(-) Refundable (13-14)	15	(+) 0

Income Tax Return electronically transmitted on 26-Jul-2024 17:47:17 from IP address 49.47.129.216
and verified by MUNNA KUMAR having PAN BGGPK8985B on 26-Jul-2024 using
paper ITR-Verification Form /Electronic Verification Code TU89JQ1CNI generated through Aadhaar OTP
mode

System Generated

Barcode/QR Code



BGGPK8985B039812250502607240b7535e13dfc8c4b014e65ea0cc147582c21f89b

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

Assessment Year

2022-23

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

PAN	FFEPS0315N		
Name	ANURADHA SINGH		
Address	D/O TEJ PRATAP SINGH , DAROULI , MAIRVA ROAD, NEAR HIGH SCHOOL DAROULI , SIWAN, SIWAN , 05-Bihar , 91-INDIA , 841234		
Status	Individual	Form Number	ITR-3
Filed u/s	139(5)-Revised	e-Filing Acknowledgement Number	900110600311222
Taxable Income and Tax details	Current Year business loss, if any	1	0
	Total Income		48,48,640
	Book Profit under MAT, where applicable	2	0
	Adjusted Total Income under AMT, where applicable	3	48,48,640
	Net tax payable	4	9,18,864
	Interest and Fee Payable	5	91,880
	Total tax, interest and Fee payable	6	10,10,744
	Taxes Paid	7	10,10,740
Accreted Income & Tax Details	(+) Tax Payable / (-) Refundable (6-7)	8	(+) 0
	Accreted Income as per section 115TD	9	0
	Additional Tax payable u/s 115TD	10	0
	Interest payable u/s 115TE	11	0
	Additional Tax and interest payable	12	0
	Tax and interest paid	13	0
	(+) Tax Payable / (-) Refundable (12-13)	14	0

Income Tax Return submitted electronically on 31-Dec-2022 14:07:21 from IP address 106.202.220.22 and verified by ANURADHA SINGH having PAN FFEPS0315N on 31-Dec-2022 using Electronic Verification Code X4LESXD5RI generated through Aadhaar OTP mode.

System Generated

Barcode/QR code



FFEPS0315N039001106003112221ef269605508cdfe066c571a8305d4e66be6a3ba

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT [Where the data of the Return of Income in Form ITR-1(SAHJ), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified] (Please see Rule 12 of the Income-tax Rules, 1962)			Assessment Year 2023-24
PAN	FFEPS0315N		
Name	ANURADHA SINGH		
Address	D/O TEJ PRATAP SINGH , DAROULI, MAIRVA ROAD,NEAR HIGH SCHOOL DAROULI , SIWAN,SIWAN , 05-Bihar, 91- INDIA, 841234		
Status	Individual	Form Number	ITR-4
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	121869420310723
Taxable Income and Tax Details	Current Year business loss, if any	1	0
	Total Income	2	4,96,480
	Book Profit under MAT, where applicable	3	0
	Adjusted Total Income under AMT, where applicable	4	0
	Net tax payable	5	0
	Interest and Fee Payable	6	0
	Total tax, interest and Fee payable	7	0
	Taxes Paid	8	0
	(+) Tax Payable /(-) Refundable (7-8)	9	0
Accreted Income and Tax Detail	Accreted Income as per section 115TD	10	0
	Additional Tax payable u/s 115TD	11	0
	Interest payable u/s 115TE	12	0
	Additional Tax and interest payable	13	0
	Tax and interest paid	14	0
	(+) Tax Payable /(-) Refundable (13-14)	15	0
Income Tax Return submitted electronically on 31-Jul-2023 17:14:57 from IP address 223.235.87.44 and verified by ANURADHA SINGH having PAN FFEPS0315N on 31-Jul-2023 using paper ITR-Verification Form /Electronic Verification Code 7GZ8XGMZ2I generated through Aadhaar OTP mode			
System Generated Barcode/QR Code	 FFEPS0315N041218694203107231f1067ccc3a3b18e19e1442c5bc5432cea98851d		
DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU			

*If the return is verified after 30 days of transmission of return data electronically, then date of verification will be considered as date of filing the return (Notification No.05 of 2022 dated 29-07-2022 issued by the DGIT (Systems), CBDT)."

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT [Where the data of the Return of Income in Form ITR-1(SAHAJ), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified] (Please see Rule 12 of the Income-tax Rules, 1962)			Assessment Year 2024-25
PAN	FFEPS0315N		
Name	ANURADHA SINGH		
Address	D/O TEJ PRATAP SINGH , DAROULI, MAIRVA ROAD,NEAR HIGH SCHOOL DAROULI , SIWAN,SIWAN , 05-Bihar, 91-India, 841234		
Status	Individual	Form Number	ITR-3
Filed u/s	139(1)- On or Before due date	e-Filing Acknowledgement Number	970630310260724
Taxable Income and Tax Details	Current Year business loss, if any	1	0
	Total Income	2	7,35,300
	Book Profit under MAT, where applicable	3	0
	Adjusted Total Income under AMT, where applicable	4	0
	Net tax payable	5	29,671
	Interest and Fee Payable	6	1,480
	Total tax, interest and Fee payable	7	31,151
	Taxes Paid	8	31,150
	(+) Tax Payable /(-) Refundable (7-8)	9	0
Accreted Income and Tax Detail	Accreted Income as per section 115TD	10	0
	Additional Tax payable u/s 115TD	11	0
	Interest payable u/s 115TE	12	0
	Additional Tax and interest payable	13	0
	Tax and interest paid	14	0
	(+) Tax Payable /(-) Refundable (13-14)	15	(+) 0
Income Tax Return electronically transmitted on 26-Jul-2024 13:39:19 from IP address 49.47.129.216 and verified by ANURADHA SINGH having PAN FFEPS0315N on 26-Jul-2024 using paper ITR-Verification Form /Electronic Verification Code TU894LGN7I generated through Aadhaar OTP mode			
System Generated Barcode/QR Code	 FFEPS0315N0397063031026072496ad6bee5af1ae52e47b50cd349394aeb90eddc9		
DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU			

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR- 4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment Year
2022-23

PAN	AANCM6829R		
Name	MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED		
Address	c/o-bhavani Devi , w/o-satyendra Singh , Bhojpur , 05-Bihar , 91-INDIA , 802210		
Status	Pvt Company	Form Number	ITR-6
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	522712461230922
Taxable Income and Tax details	Current Year business loss, if any	1	13,887
	Total Income		0
	Book Profit under MAT, where applicable	2	0
	Adjusted Total Income under AMT, where applicable	3	0
	Net tax payable	4	0
	Interest and Fee Payable	5	0
	Total tax, interest and Fee payable	6	0
	Taxes Paid	7	0
Accreted Income & Tax Details	(+) Tax Payable / (-) Refundable (6-7)	8	0
	Accreted Income as per section 115TD	9	0
	Additional Tax payable u/s 115TD	10	0
	Interest payable u/s 115TE	11	0
	Additional Tax and interest payable	12	0
	Tax and interest paid	13	0
	(+) Tax Payable / (-) Refundable (12-13)	14	0

This return has been digitally signed by DHESHWARI CONSTRUCTION PRIVATE in the capacity of Director having
PAN FFEPS0315N from IP address 223.226.47.193 on 23-Sep-2022 DSC Sl.No & Issuer 5161336838693
& 5161336838693CN=Verasys Sub CA 2022,OU=Certifying Authority,O=Verasys Technologies Pvt Ltd.,C=IN

System Generated

Barcode/QR code



AANCM6829R065227124612309220951e2d5e0d72bacece3cffffa4bb273d4f43e2f

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT				Assessment Year 2023-24
[Where the data of the Return of Income in Form ITR-1(SAHA)), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified] (Please see Rule 12 of the Income-tax Rules, 1962)				
PAN*	AANCM6829R			
Name	MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED			
Address	c/o-bhavani Devi , w/o-satyendra Singh , Bhojpur , 05-Bihar, 91-INDIA, 802210			
Status	7-Private company	Form Number	ITR-6	
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	269022311180923	
Taxable Income and Tax Details	Current Year business loss, if any	1	9,11,794	
	Total Income	2	0	
	Book Profit under MAT, where applicable	3	0	
	Adjusted Total Income under AMT, where applicable	4	0	
	Net tax payable	5	0	
	Interest and Fee Payable	6	0	
	Total tax, interest and Fee payable	7	0	
	Taxes Paid	8	0	
	(+) Tax Payable /(-) Refundable (7-8)	9	0	
Accreted Income and Tax Detail	Accreted Income as per section 115TD	10	0	
	Additional Tax payable u/s 115TD	11	0	
	Interest payable u/s 115TE	12	0	
	Additional Tax and interest payable	13	0	
	Tax and interest paid	14	0	
	(+) Tax Payable /(-) Refundable (13-14)	15	0	
Income Tax Return submitted electronically on <u>18-Sep-2023 16:26:51</u> from IP address <u>122.172.63.97</u> and verified by <u>ANURADHA SINGH</u> having PAN <u>FFEPS0315N</u> o n <u>18-Sep-2023</u> using paper ITR-Verification Form /Electronic Verification Code _____ generated through mode _____				
System Generated Barcode/QR Code	 AANCM6829R06269022311180923c117adb9dbb7387c014a1aa1ff2e2e5013a94e2c			
<u>DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU</u>				

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT				Assessment Year
[Where the data of the Return of Income in Form ITR-1(SAHA)), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified] (Please see Rule 12 of the Income-tax Rules, 1962)				2024-25
PAN	AANCM6829R			
Name	MAA VINDHESHWARI CONSTRUCTION PRIVATE LIMITED			
Address	c/o-bhavani Devi , w/o-satyendra Singh , Bhojpur , 05-Bihar, 91-INDIA, 802210			
Status	7-Private company	Form Number	ITR-6	
Filed u/s	139(4)-After due date	e-Filing Acknowledgement Number	742995411061224	
Taxable Income and Tax Details	Current Year business loss, if any	1	0	
	Total Income	2	0	
	Book Profit under MAT, where applicable	3	0	
	Adjusted Total Income under AMT, where applicable	4	0	
	Net tax payable	5	0	
	Interest and Fee Payable	6	1,000	
	Total tax, interest and Fee payable	7	1,000	
	Taxes Paid	8	2,360	
	(+) Tax Payable /(-) Refundable (7-8)	9	(-) 1,360	
Accreted Income and Tax Detail	Accreted Income as per section 115TD	10	0	
	Additional Tax payable u/s 115TD	11	0	
	Interest payable u/s 115TE	12	0	
	Additional Tax and interest payable	13	0	
	Tax and interest paid	14	0	
	(+) Tax Payable /(-) Refundable (13-14)	15	0	
Income Tax Return electronically transmitted on 06-Dec-2024 12:35:04 from IP address 49.47.129.87 and verified by MUNNA KUMAR having PAN BGGPK8985B on 06-Dec-2024 using paper ITR-Verification Form /Electronic Verification Code generated through mode				
System Generated Barcode/QR Code	 AANCM6829R06742995411061224f13355f6efd2ca5027d34c2f7c76f3eb8291dd14			
DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU				