





DETAILS OF WATER HARVESTING



DETAIL OF SEPTIC TANK & SOAKPIT




SECTION AT S-S



BASEMENT FLOOR PLAN
SCALE :-1.100

SITE PLAN
SCALE :-1.100

DET. PILE FOUNDATION



PLAN

FIRE LEGEND

SL NO.	SL NO	
1.	FD	FIRE RESISTANCE DOOR OF 1/2 HR. FIRE RATING
2.		HYDRANT
3.		HOSE REAL
4.	9 KG DCP/CO2	I.S.I MARKED FIRE EXIT
5.	EXIT	EXIT SIGN (ILLUMINATED)
6.		SPRINKLER CONCEALED TYPE
7.	50,000	UNDER GROUND WATER STATIC TANK OF 50,000 LTR. CAP.
8.	10,0000	OVER HEAD WATER STATIC TANK OF 10,000 LTR. CAP.
9.		MANUAL CALL ALARM POINT.
10.		EMERGENCY LIGHT
11.	S	SPRINKLERS
12.	ASA	AREA COVERAGE BY SMOKE DETECTORS

PARKING CALCULATION

TOTAL D/U AREA = 2328.36 SQM.
30% = 698.50 SQM. (REQ.) PARKING

BASEMENT FLOOR PARKING AREA = 530.00 SQM.
OPEN PARKING AREA = 170.00 SQM.

TOTAL PARKING AREA
530.00 SQM + 170.00 SQM = 700.00 SQM

WATER TANK CALCULATION

TOTAL NO. OF PERSON = 48 NOS
ONE PERSON REQU. WATER = 45 LTR./DAY
TOTAL REQU. WATER = 48 X 45 =2160.00 LTR./DAY
TOTAL REQU. AREA OF WATER TANK =21.60 CU.M
PROVIDE AREA OF WATER TANK
SIZE,= 3.52X2.20X1.52 FB= 18.45 CUM.
O.H.WATER TANK FOR FIRE TANK CAPICITY 10,000 LT.

SEPTIC TANK CALCULATION

TOTAL NO. OF PERSON = 48
ONE PERSON REQU. AREA = 0.085 QU.M./DAY
TOTAL REQU. AREA =48 X 0.085 =4.08 QU.M./DAY
PROVIDE AREA OF SPTIC TANK
(SIZE),= 3.5X2.0X1.52+ FB=10.64 CUM.
TOTAL AREA OF SPTIC TANK= 10.64 QUM

WATER TANK CALCULATION

TOTAL NO. OF PERSON = 92
ONE PERSON REQU WATER 45 LTR./DAY
TOTAL REQU WATER = 92 X 45= 4140LTR./DAY
TOTAL REQU. AREA OF WATER TANK =8.90 QU M
PROVIE AREA OF WATER TANK
SIZE=3 18X2 0X1.40 FB 8.90

SEPTIC TANK CALCULATION

TOTAL NO. OF PERSON = 92
ONE PERSON REQU. AREA=0.085CU.M./DAY
TOTAL REQU. AREA=92X0.085=7.82 QU.M/DAY
PROVIDE AREA OF SEPTIC TANK
SIZE=3.0X1.5X1.5
TOTAL AREA OF SEPTIC TANK=6.75 QU.M

WATER HARVESTING CALCULATION

100 SQM- 6 CUM REQURED
518.21/ 100 = 5.18X6 = 31.08

AREA STATEMENT

TOTAL PLOT AREA AS SITE	= 1004.37 SQM.
BASEMENT FLOOR B/U AREA	= 11.10 +424.26 SQM (PARKING)
GROUND FLOOR B/U AREA	= 244.42 SQM
FIRST FLOOR B/U AREA	= 518.21 SQM
SECOND FLOOR B/U AREA	= 518.21 SQM
THIRD FLOOR B/U AREA	= 518.21SQM
FOURTH FLOOR B/U AREA	= 518.21 SQM
TOTAL FLOOR B/U AREA	= 2328.36 SQM
F.A.R	= 2.31
FERMISSIBLE-	2.50

PROPOSED COMMERCIAL BUILDING FOR
M/S GANPATI RESIDENCY PVT.LTD.
DIRECTOR:- SRI AJAY KUMAR SINGH
S/O SRI DEVENDRA NATH SINGH AT
MAUZA:- SAGUNA,SURVEY PLOT NO:- 382
KHATA NO:- 69, TAUZI NO:-5292,
THANA NO:- 23, THANA:- DANAPUR, DIST:- PATNA.

SCALE - 1:100

SHEET NO.- 01/03

SIGN. OF STR. ENGG

For GANPATI RESIDENCY PRIVATE LIMITED
Director

SIGN. OF LAND OWNER

SIGN. OF ARCHITECT

"This is to certify that the plan has been verified by me & Duly prepared according to Bye laws 2014."

बिहार भू-सम्पदा (निरिमम और विकास) निरमावली 2017 (RERA) की शर्तो के अधीन राज्य में गठित भू-सम्पदा प्राधिकरण से इस परियोजना का निबंधन अनिवार्य होगा।

Building Plan No.... 31/18-19

निर्माणित क्षेत्रों के साथ [illegible] अभियता की [illegible] के आधार पर भवन मानचित्र की स्वीकृति दी जाती है।

सरकारी या किसी दूसरे के जमीन का अतिक्रमण नहीं करना होगा तथा इस हेतु पक्का के लिए बिहार भवन [illegible] उपविधि 2014 के अनुसार जमीन छोड़ना होगा। भवन भू-कचरौरी बनाना होगा तथा अ भवन से सरकारी नाला [illegible] निकाली हेतु अ खर्च से नाली निर्माण [illegible]।

बरसाती पानी नाली के लिए भूतल पर व्यवस्था [illegible] होगा। भवन भू-खरक निर्माण [illegible] भवन मानचित्र स्वत: [illegible] खड़े किये गये बगायत अवैध माना जायेगा। भवन मानचित्र की स्वीकृति केवल तीन वर्ष के लिए मान्य होगी। भवन में आवासित होने के पूर्व Completion Certificate/Occupancy Certificate लेना अनिवार्य होगा।

नगर निगम/पालक कार्यपालिकारी
नगर परिषद् दानापुर/अनुमंडल [illegible]

03/05/18
A. E.
Nagar Parishad Danapur Nizamat

03/05/18
J. E.
Nagar Parishad Danapur Niza

For GANPATI RESIDENCY PRIVATE LIMITED
Director