



CIN- U45309BR2016PTC031450

ARANYA ENGICON PVT. LTD.

Regd. Office :- Mahavir Market, Brij Bhawan, Prithvipur Chiraiyatand, Patna - 800001

Declaration Of Previous Project.

I, Amarjeet Nath, Director Of ARANYA ENGICON PRIVATE LIMITED.

Address- Mahavir Market, Brij Bhawan, Prithvipur, Chiraiyatand, Patna-800001 do hereby solemnly declare, undertake and state as under :-

1- Project – ARANYA PNB RESIDENCY

ADDRESS- Godhna, Near Neoraganj, Danapur, Patna

Residential

Rera Registration No- BRERAP00066-1/88/R-60/2018

We have no other Project .

Provisional Fire Clearance**(Under 15 Mtr. Height)**Letter No. 25.....**OFFICE OF THE STATE FIRE OFFICER-CUM-DIRECTOR, BIHAR, PATNA.**

From,

Pankaj Sinha,
State Fire Officer,
Bihar, Patna.

To,

Ar. Pawan Kumar
Regd. No.-CA/2008/43276
203, Rameshwar Sushila Complex,
South Mahdiri Road, Patna

Sub :-

The views regarding Proposed Residential Building of under 15 mtr. In height to be constructed at Mauza-Sikandarpur, Dist-Patna.

Patna Dt. 06/01/2020.

Sir,

Please refer to your letter No.- MA/255/19, dt.-25/09/2019 through which this aforesaid plan has been sent to us for examination, which was examined by the Fire Service committee.

During examination of the plan it was found that a (B+G+3) (Total B/U Area-2691.01 Sqmtr.), Fully Proposed Residential Building shall be constructed on 20 feet wide road belongs to Aranya Engicon Pvt. Ltd., Director-Sri Amarjeet Nath, S/o Sri Pradeep Kumar & others, Plot No.-692,695, Khata No.-253, Tauzi No.-5855, Thana No.-17, Thana-Danapur, Mauza- Sikandarpur, Dist-Patna.

We clear the plan after giving following advice/suggestions/recommendations based on NBC guideline, local building by laws & the local circumstances which must be followed by the concerned Architect/Developer/Land owner as the case may be.

i) **Construction :**

- The whole construction of the proposed building shall be carried out as per approved plan drawing conforming the relevant building rules of local Municipal Corporation as per Bihar building bye laws, 2014.
- The floor area exceeds 750 m² shall be suitably compartmented by separation walls up to ceiling level having at least two hours Fire resisting capacity.
- The interior finish decoration of the building shall be made low flame spread materials conforming I.S. specifications.
- Provision of ventilation at the crown of the central core-duct of the building shall be provided.
- Arrangements shall have to be made for sealing all the vertical ducts by the materials of adequate Fire resisting capacity.

ii) **Open Space & Approach :**

- The open space surrounding the building shall conform the relevant building rules as well as permit the accessibility and maneuverability of Fire appliance with turning facility.
- The approach roads shall be sufficiently strong to withstand the load of Fire Engine weighting up to 20 M.T.
- The width and height of the access gates into the premises shall not be less than 4.5 M and 5M respecting abutting the road.

iii) **Stair Case :-**

- The Staircase of the building shall be enclosed type. Entire construction shall be made of brick / R.C.C. type having Fire resisting capacity not less than 4 hours respectively marked in the plan.
- The Staircase of the building shall have permanent vents at the top equal to 5% of the cross sectional area of the staircase enclosures and openable sashes at each floor level equal to 15% of the said cross section are shall have to be provided in the external wall of the building.
- All the Staircase of the building shall be negotiable to each other in each floor without entering into any room and shall be extended up to respective terrace. The roof of the Stair wall shall be 1M above the surrounding roof area.
- The width of the Staircases and corridor and travel distance of different categories of occupancies shall have to confirm the relevant building rules.
- In case of two staircase, one must be on outer wall.
- Both staircase are not went down to basement floor, for approach to basement, there should be another staircase for approach.

For ARANYA ENGICON PVT. LTD.

Amarjeet Nath
DIRECTOR


iv) LIFT :-

- a) The walls of the Lift enclosure of the building shall be at least two hours Fire resisting type respectively marked in the plan with the event at top of area not less than 0.2 m².
- b) The lift of the building shall be designed at high speed "Fire Lift" and conspicuously indicated marked in the plan.
- c) In case of failure of normal electric supply, it shall automatically trip over to alternate supply. For apartment houses these change over of supply could be done through manually operated change over switch. Alternatively, the lift shall be so wired that in case of power failure, it comes down at the ground level and comes to stand still with door open.
- d) Arrangement shall be provided for extraction of smoke in all the lift shaft by incorporation smoke venting system designed to permit 30 Air changes per hour in case of Fire and shall be of such design as to operate on actuation of sprinkler or Fire Alarm. In case of failure of normal electric supply. It shall automatically trip to alternate supply.
- e) All other requirements shall conform the I.S. specification including the communication facility in the lift cars connecting with the Fire Control Room of the building.
- v) That active Fire protection system such as down comer system with landing valve and hose reel at each floor incorporated with 450 LPM pump at Terrace level, ISI marked Fire extinguishers as per I.S 2190/1992, F.R. check door, manual call alarm point, Fire safety luminescent sign & other Fire precautionary measures as mentioned in NBC be provided before occupancy.
- vi) That an underground water static tank of not less than 20,000 Ltrs. capacity with automatic refilling arrangements preferably on front side where Fire Brigade vehicles can reach easily & overhead water static tank of not less than 10,000 Ltrs. capacity each blocks should be made available before occupancy.
- vii) That the internal finishing shall be non-combustible or class - I surface spread of flame.
- viii) That electric cables must be shield at each floor with intumescent coating.
- ix) That Fire exit drill be carried out regularly at least twice in a year after occupation.
- x) That the building must be constructed on at least 20 feet wide road and it is responsibility of the concerned Architect to ensure the road width because he is the passing authority.
- xi) That AMC should be given to a qualified firm or person for the maintenance of above recommended Fire equipments.
- xii) That the setback shall be checked by the Architect / Passing authority as per the established rule. If any thing wrong, the Architect / Passing authority shall be held responsible.
- xiii) It is hereby made clear that in case of any legal dispute arising in future, in which above recommendations have not been complied, the responsibility will fall entirely upon the Developers/ Architect/ Landowner as the case may be and not on the recommending Govt. authority (i.e. the office of the State Fire Office, Bihar).
- xiv) It is hereby made also clear that this office (i.e. the office of the State Fire Officer-cum-Director, Bihar, Patna) is not responsible for any legal dispute of the land upon which the proposed building shall be constructed.
- xv) Set backs on all the sides adheres to the provisions for the fire safety as per bye laws. Whereas immediately beneath this area in the basement is adhering to the bye laws will be examined by the concerned Urban local bodies.

This shall be treated as provisional. On compliance of all the above Fire and Life Safety recommendations, this office shall be approached for necessary inspection and testing of the installation, Final approval in favor of the occupancy shall be issued on being satisfied with the tests and performances of safety aspects of installation of the building.


N.B. - Any deviation and changes the nature of use of the building in respect of the approved plan drawing without obtaining prior permission from this office, this provisional will be treated as cancelled. The maps are being returned with sign and stamp.

Encl - As Above

(Yours faithfully,

(Pankaj Sinha)
DIG HG & FS

Cum
State Fire Officer
Bihar, Patna

For ARANYA ENGICON PVT. LTD.


Amarendra Nath

DIRECTOR

We clear the plan after giving following advice/suggestions/recommendations based on NBC guideline, local building by laws & the local circumstances which must be followed by the concerned Architect/Developer/Land owner as the case may be.

i) Construction :

- a) The whole construction of the proposed building shall be carried out as per approved plan drawing conforming the relevant building rules of local Municipal Corporation as per Bihar building bye laws, 2014.
- b) The floor area exceeds 750 m² shall be suitably compartmented by separation walls up to ceiling level having at least two hours Fire resisting capacity.
- c) The interior finish decoration of the building shall be made low flame spread materials conforming I.S. specifications.
- d) Provision of ventilation at the crown of the central core-duct of the building shall be provided.
- e) Arrangements shall have to be made for sealing all the vertical ducts by the materials of adequate Fire resisting capacity.

ii) Open Space & Approach :

- a) The open space surrounding the building shall conform the relevant building rules as well as permit the accessibility and maneuverability of Fire appliance with turning facility.
- b) The approach roads shall be sufficiently strong to withstand the load of Fire Engine weighting up to 20 M.T.
- c) The width and height of the access gates into the premises shall not be less than 4.5 M and 5M respecting abutting the road.


iii) Stair Case :-

- a) The Staircase of the building shall be enclosed type. Entire construction shall be made of brick / R.C.C. type having Fire resisting capacity not less than 4 hours respectively marked in the plan.
- b) The Staircase of the building shall have permanent vents at the top equal to 5% of the cross sectional area of the staircase enclosures and openable sashes at each floor level equal to 15% of the said cross section are shall have to be provided in the external wall of the building.
- c) All the Staircase of the building shall be negotiable to each other in each floor without entering into any room and shall be extended up to respective terrace. The roof of the Stair wall shall be 1M above the surrounding roof area.
- d) The width of the Staircases and corridor and travel distance of different categories of occupancies shall have to confirm the relevant building rules.
- e) In case of two staircase, one must be on outer wall.
- f) Both staircase are not went down to basement floor, for approach to basement, there should be another staircase for approach.

iv) LIFT :-

- a) The walls of the Lift enclosure of the building shall be at least two hours Fire resisting type respectively marked in the plan with the event at top of area not less than 0.2 m².
- b) The lift of the building shall be designed at high speed "Fire Lift" and conspicuously indicated marked in the plan.
- c) In case of failure of normal electric supply, it shall automatically trip over to alternate supply. For apartment houses these change over of supply could be done through manually operated change over switch. Alternatively, the lift shall be so wired that in case of power failure, it comes down at the ground level and comes to stand still with door open.
- d) Arrangement shall be provided for extraction of smoke in all the lift shaft by incorporation smoke venting system designed to permit 30 Air changes per hour in case of Fire and shall be of such design as to operate on actuation of sprinkler or Fire Alarm. In case of failure of normal electric supply. It shall automatically trip to alternate supply.
- e) All other requirements shall conform the I.S. specification including the communication facility in the lift cars connecting with the Fire Control Room of the building.
- v) That active Fire protection system such as down comer system with landing valve and hose reel at each floor incorporated with 450 LPM pump at Terrace level, ISI marked Fire extinguishers as per I.S 2190/1992, F.R. check door, manual call alarm point, Fire safety luminescent sign & other Fire precautionary measures as mentioned in NBC be provided before occupancy.
- vi) That an underground water static tank of not less than 50,000 Ltrs. capacity with automatic refilling arrangements preferably on front side where Fire Brigade vehicles can reach easily & overhead water static tank of not less than 10,000 Ltrs. capacity each blocks should be made available before occupancy.
- vii) That the internal finishing shall be non-combustible or class - I surface spread of flame.
- viii) That electric cables must be shield at each floor with intumescent coating.
- ix) That Fire exit drill be carried out regularly at least twice in a year after occupation.
- x) That the building must be constructed on at least 20 feet wide road and it is responsibility of the concerned Architect to ensure the road width because he is the passing authority.
- xi) That AMC should be given to a qualified firm or person for the maintenance of above recommended Fire equipments.
- xii) That the setback shall be checked by the Architect / Passing authority as per the established rule. If any thing wrong, the Architect / Passing authority shall be held responsible.
- xiii) It is hereby made clear that in case of any legal dispute arising in future, in which above recommendations have not been complied, the responsibility will fall entirely upon the Developers/ Architect/ Landowner as the case may be and not on the recommending Govt. authority (i.e. the office of the State Fire Office, Bihar).
- xiv) It is hereby made also clear that this office (i.e. the office of the State Fire Officer-cum-Director, Bihar, Patna) is not responsible for any legal dispute of the land upon which the proposed building shall be constructed.
- xv) Set backs on all the sides adheres to the provisions for the fire safety as per bye laws. Whereas immediately beneath this area in the basement is adhering to the bye laws will be examined by the concerned Urban local bodies.

This shall be treated as provisional. On compliance of all the above Fire and Life Safety recommendations, this office shall be approached for necessary inspection and testing of the installation, Final approval in favor of the occupancy shall be issued on being satisfied with the tests and performances of safety aspects of installation of the building.




DIG HG & FS

Cum

State Fire Officer
Bihar, Patna

For ARANYA ENGICON PVT. LTD.



DIRECTOR

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4, ITR-5, ITR-6, ITR-7 transmitted electronically with digital signature]

Assessment Year
2018-19PERSONAL INFORMATION AND THE
DATE OF ELECTRONIC
TRANSMISSION

Name

ARANYA ENGICON PRIVATE LIMITED

PAN

AAOCA3652K

Flat/Door/Block No

C/O - BRIJI BHAWAN
PRITHIVIPUR

Name Of Premises/Building/Village

Road/Street/Post Office

CHIRAIYATAND

Area/Locality

CHIRAIYATAND

Form No. which
has been
electronically
transmitted

ITR-6

Status Pvt Company

Town/City/District

PATNA

State

BIHAR

Pin/ZipCode

800001

Aadhaar Number/Enrollment ID

Designation of AO(Ward/Circle) PTN C 24 I DC/AC CIRCLE 4, PATNA

Original or Revised ORIGINAL

E-filing Acknowledgement Number

329872621101018

Date(DD/MM/YYYY) 10-10-2018

COMPUTATION OF INCOME
AND TAX THEREON

1		Gross total income		1	0
2		Deductions under Chapter-VI-A		2	0
3		Total Income		3	0
3a		Current Year loss, if any		3a	698876
4		Net tax payable		4	0
5		Interest and Fee Payable		5	0
6		Total tax, interest and Fee payable		6	0
7	Taxes Paid	a	Advance Tax	7a	0
		b	TDS	7b	20180
		c	TCS	7c	0
		d	Self Assessment Tax	7d	0
		e	Total Taxes Paid (7a+7b+7c+7d)		
8		Tax Payable (6-7e)		8	0
9		Refund (7e-6)		9	20180
10	Exempt Income	Agriculture		10	
		Others			

This return has been digitally signed by AMARJEET NATHin the capacity of DIRECTORhaving PAN AHMPN8932B from IP Address 61.0.136.152 on 10-10-2018 at PATNADsc SI No & issuer 2309249115864724579CN=SafeScript sub-CA for RCAI Class 2 2014,OU=Sub-CA,O=Sify Technologies Limited,C=IN**DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU**

For ARANYA ENGICON PVT. LTD.

Amarjeet Nath

DIRECTOR

Name of the Company	ARANYA ENGICON PRIVATE LIMITED
Corporate Identity Number (CIN)	U45309BR2016PTC031450
Address	MAHAVIR MARKET, C/O - BRIJI BHAWAN PRITHIVIPUR, CHIRAIYATAND PATNA - 800001 BIHAR
Date of Incorporation	30/04/2016
PAN	AAOCA3652K
Status	Private Company
Type Of Company	Domestic Company
Bank Account	00000035954537315 STATE BANK OF INDIA IFSC - SBIN0001513
Previous Year (Financial Year)	2017-18
Assessment Year	2018-19

COMPUTATION OF TOTAL INCOME & TAX LIABILITY

Particulars	Amount (In Rs.)	
Income from Business & Profession		
Net Profit as per P/L Ac	(913,532)	
Add: Depreciation as per Companies act	589,748	
	(323,784)	
Less: Depreciation as per Income Tax act	375,092	
	(698,876)	(698,875.76)
Gross Total Income (As per Normal Provision) (A)		(698,875.76)
(Rounded Off U/S 288A)		-
Book Profit as per Sec 115JB (B)		-
Tax as per sec 115JB on above income (B)		-
Add: Education Cess @ 3%		-
Add: Surcharge		-
Net Tax Liability (As per Sec 115JB) (C)		-
Tax liability as per Normal Provision on Above Income (A)		-
Add: Education Cess @ 3%		-
Net Tax Liability (As per Normal Provision) (D)		-
Net Tax Liability (C or D, whichever is higher)		-
Add: Interest U/S 234A	-	
Interest U/S 234B	-	
Interest U/S 234C	-	-
NET TAX PAYABLE (Higher of C or D)		-
Less: Tax Deducted at Source/ Advance Tax/ Self Assessment Tax		20,180.00
Tax Refundable/Payable		20,180.00
Rounded Off (As per Sec 288B)		-
MAT Credit Available for Subsequent Year		-

For ARANYA ENGICON PVT. LTD.

Anagethath

DIRECTOR

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4, ITR-5, ITR-6, ITR-7 filed and verified electronically]

Assessment Year
2019-20

PERSONAL INFORMATION AND THE ACKNOWLEDGEMENT NUMBER	Name			PAN		
	ARANYA ENGICON PRIVATE LIMITED			AAOCA3652K		
	Flat/Door/Block No	Name Of Premises/Building/Village		Form Number.	ITR-6	
	C/O - BRIJI BHAWAN PRITHIVIPUR					
	Road/Street/Post Office	Area/Locality				
	CHIRAIYATAND	CHIRAIYATAND		Status	Pvt Company	
	Town/City/District	State	Pin/ZipCode	Filed u/s		
	PATNA	BIHAR	800001	139(1)-On or before due date		
	Assessing Officer Details (Ward/Circle)			DC/AC CIRCLE 4, PATNA		
	e-filing Acknowledgement Number			214121361231019		
COMPUTATION OF INCOME AND TAX THEREON	1	Gross total income			1	0
	2	Total Deductions under Chapter-VI-A			2	0
	3	Total Income			3	0
	3a	Deemed Total Income under AMT/MAT			3a	0
	3b	Current Year loss, if any			3b	1015221
	4	Net tax payable			4	0
	5	Interest and Fee Payable			5	0
	6	Total tax, interest and Fee payable			6	0
	7	Taxes Paid	a	Advance Tax	7a	0
			b	TDS	7b	4387
			c	TCS	7c	0
			d	Self Assessment Tax	7d	0
			e	Total Taxes Paid (7a+7b+7c +7d)	7e	4387
8	Tax Payable (6-7e)			8	0	
9	Refund (7e-6)			9	4390	
10	Exempt Income	Agriculture		10		
		Others				

Income Tax Return submitted electronically on 23-10-2019 16:09:39 from IP address 103.88.59.220 and verified byAMARJEET NATH having PAN AHMPN8932B on 23-10-2019 16:09:39 from IP address 103.88.59.220 using Digital Signature Certificate (DSC)

DSC details: 1506466CN=Capricorn CA 2014,2.5.4.51=#131647352c56494b41532044454550204255494c44494e47,STREET=18,LAXMI NAGAR DISTRICT CENTER,ST=DELHI,2.5.4.17=#1306313130303932,OU=Certifying Authority,O=Capricorn Identity Services Pvt Ltd.,C=IN

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

For ARANYA ENGICON PVT. LTD.

Amarjeet Nath

DIRECTOR

13

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3,
ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment Year
2020-21

PAN	AAOCA3652K		
Name	ARANYA ENGICON PRIVATE LIMITED		
Address	C/O - BRIJI BHAWAN PRITHIVIPUR, , CHIRAIYATAND, PATNA, BIHAR, 800001		
Status	Pvt Company	Form Number	ITR-6
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	237095841020221
Taxable Income and Tax details	Current Year business loss, if any	1	1431013
	Total Income		0
	Book Profit under MAT, where applicable	2	0
	Adjusted Total Income under AMT, where applicable	3	0
	Net tax payable	4	0
	Interest and Fee Payable	5	0
	Total tax, interest and Fee payable	6	0
	Taxes Paid	7	5710
	(+)Tax Payable /(-)Refundable (6-7)	8	-5710
Dividend Distribution Tax details	Dividend Tax Payable	9	0
	Interest Payable	10	0
	Total Dividend tax and interest payable	11	0
	Taxes Paid	12	0
	(+)Tax Payable /(-)Refundable (11-12)	13	0
Accreted Income & Tax Detail	Accreted Income as per section 115TD	14	0
	Additional Tax payable u/s 115TD	15	0
	Interest payable u/s 115TE	16	0
	Additional Tax and interest payable	17	0
	Tax and interest paid	18	0
	(+)Tax Payable /(-)Refundable (17-18)	19	0

Income Tax Return submitted electronically on 02-02-2021 15:36:22 from IP address 103.74.111.56 and verified by

AMARJEET NATH

having PAN AHMPN8932B on 02-02-2021 15:36:22 from IP address 103.74.111.56 using

Digital Signature Certificate (DSC).

DSC details: 1506466CN=Capricorn CA 2014,2.5.4.51=#131647352c56494b41532044454550204255494c44494e47,STREET=18,LAXMI NAGAR DISTRICT
CENTER,ST=DELHI,2.5.4.17=#1306313130303932,OU=Certifying Authority,O=Capricorn Identity Services Pvt Ltd.,C=IN

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

For ARANYA ENGICON PVT. LTD.

Amarjeet Nath

DIRECTOR

12

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4, ITR-5, ITR-6, ITR-7 transmitted electronically with digital signature]

Assessment Year
2018-19

PERSONAL INFORMATION AND THE DATE OF ELECTRONIC TRANSMISSION	Name			PAN		
	AMARJEET NATH			AHMPN8932B		
	Flat/Door/Block No	Name Of Premises/Building/Village		Form No. which has been electronically transmitted	ITR-3	
	ANU IN FASHION	GURUA				
	Road/Street/Post Office	Area/Locality				
		GURUA		Status Individual		
	Town/City/District	State	Pin/ZipCode	Aadhaar Number/Enrollment ID		
	GAYA		824205			
	Designation of AO(Ward/Circle) ITO WARD 3(1),GAYA			Original or Revised ORIGINAL		
	E-filing Acknowledgement Number 188083701280818			Date(DD/MM/YYYY) 28-08-2018		
COMPUTATION OF INCOME AND TAX THEREON	1	Gross total income			1	477806
	2	Deductions under Chapter-VI-A			2	28929
	3	Total Income			3	448880
	3a	Current Year loss, if any			3a	0
	4	Net tax payable			4	10242
	5	Interest and Fee Payable			5	0
	6	Total tax, interest and Fee payable			6	10242
	7	Taxes Paid	a	Advance Tax	7a	0
			b	TDS	7b	1613
			c	TCS	7c	0
			d	Self Assessment Tax	7d	8630
			e	Total Taxes Paid (7a+7b+7c +7d)	7e	10243
8	Tax Payable (6-7e)			8	0	
9	Refund (7e-6)			9	0	
10	Exempt Income	Agriculture		10		
		Others				

This return has been digitally signed by AMARJEET NATH in the capacity of Self
 having PAN AHMPN8932B from IP Address 61.0.136.210 on 28-08-2018 at PATNA
 Dsc SI No & issuer 2309249115864724579CN=SafeScript sub-CA for RCAI Class 2 2014,OU=Sub-CA,O=Sify Technologies Limited,C=IN

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

Amarjeet Nath

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4, ITR-5, ITR-6, ITR-7 filed and verified electronically]

Assessment Year
2019-20

PERSONAL INFORMATION AND THE ACKNOWLEDGEMENT NUMBER	Name			PAN		
	AMARJEET NATH			AHMPN8932B		
	Flat/Door/Block No	Name Of Premises/Building/Village		Form Number	ITR-3	
	ANU IN FASHION	GURUA				
	Road/Street/Post Office	Area/Locality				
		GURUA		Status Individual		
	Town/City/District	State	Pin/ZipCode	Filed u/s		
	GAYA		824205	139(1)-On or		
	Assessing Officer Details (Ward/Circle)			ITO WARD 3(1),GAYA		
	e-filing Acknowledgement Number			932402280280819		
COMPUTATION OF INCOME AND TAX THEREON	1	Gross total income			1	516183
	2	Total Deductions under Chapter-VI-A			2	31660
	3	Total Income			3	484520
	3a	Deemed Total Income under AMT/MAT			3a	484520
	3b	Current Year loss, if any			3b	0
	4	Net tax payable			4	12195
	5	Interest and Fee Payable			5	1152
	6	Total tax, interest and Fee payable			6	13347
	7	Taxes Paid	a	Advance Tax	7a	0
			b	TDS	7b	679
			c	TCS	7c	0
			d	Self Assessment Tax	7d	12665
			e	Total Taxes Paid (7a+7b+7c +7d)	7e	13344
8	Tax Payable (6-7e)			8	0	
9	Refund (7e-6)			9	0	
10	Exempt Income	Agriculture		10	0	
		Others	0			

Income Tax Return submitted electronically on 28-08-2019 17:36:49 from IP address 103.88.59.63 and verified by
AMARJEET NATH having PAN AHMPN8932B on 28-08-2019 17:57:24 from IP address
103.88.59.63 using Electronic Verification Code PGZTXW8HFI generated through Aadhaar OTP
mode.

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU*Amarjeetnath*

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3,
ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment Year
2020-21

PAN	AHMPN8932B		
Name	AMARJEET NATH		
Address	C/o- Anu In Fashion, , Gurua, Gurua S.O, GAYA, , 824205		
Status	Individual	Form Number	ITR-3
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	180207320100121
Taxable Income and Tax details	Current Year business loss, if any	1	0
	Total Income		465410
	Book Profit under MAT, where applicable	2	0
	Adjusted Total Income under AMT, where applicable	3	465410
	Net tax payable	4	0
	Interest and Fee Payable	5	0
	Total tax, interest and Fee payable	6	0
	Taxes Paid	7	0
	(+)Tax Payable /(-)Refundable (6-7)	8	0
Dividend Distribution Tax details	Dividend Tax Payable	9	0
	Interest Payable	10	0
	Total Dividend tax and interest payable	11	0
	Taxes Paid	12	0
	(+)Tax Payable /(-)Refundable (11-12)	13	0
Accreted Income & Tax Detail	Accreted Income as per section 115TD	14	0
	Additional Tax payable u/s 115TD	15	0
	Interest payable u/s 115TE	16	0
	Additional Tax and interest payable	17	0
	Tax and interest paid	18	0
	(+)Tax Payable /(-)Refundable (17-18)	19	0

Income Tax Return submitted electronically on 10-01-2021 15:05:26 from IP address 103.76.211.250 and verified by

AMARJEET NATH

having PAN AHMPN8932B on 12-01-2021 18:40:21 from IP address 103.76.211.250 using

Electronic Verification Code CF48F1BAHI generated through Aadhaar OTP mode.

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

Amarjeetnath

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4, ITR-5, ITR-6, ITR-7 transmitted electronically with digital signature]

Assessment Year
2018-19

PERSONAL INFORMATION AND THE DATE OF ELECTRONIC TRANSMISSION	Name			PAN		
	KISHORE KUMAR			BMSPK9401N		
	Flat/Door/Block No	Name Of Premises/Building/Village		Form No. which has been electronically transmitted	ITR-3	
	0					
	Road/Street/Post Office	Area/Locality		Status Individual		
		KANKARBAGH				
	Town/City/District	State	Pin/ZipCode	Aadhaar Number/Enrollment ID		
	PATNA		800020	XXXX XXXX 99		
	Designation of AO(Ward/Circle) ITO WARD 4(5), PATNA			Original or Revised ORIGINAL		
	E-filing Acknowledgement Number		163863461250818	Date(DD/MM/YYYY) 25-08-2018		
COMPUTATION OF INCOME AND TAX THEREON	1	Gross total income			1	419856
	2	Deductions under Chapter-VI-A			2	31670
	3	Total Income			3	388190
	3a	Current Year loss, if any			3a	0
	4	Net tax payable			4	7117
	5	Interest and Fee Payable			5	0
	6	Total tax, interest and Fee payable			6	7117
	7	Taxes Paid	a	Advance Tax	7a	0
			b	TDS	7b	8000
			c	TCS	7c	0
			d	Self Assessment Tax	7d	0
			e	Total Taxes Paid (7a+7b+7c +7d)	7e	8000
8	Tax Payable (6-7e)			8	0	
9	Refund (7e-6)			9	880	
10	Exempt Income	Agriculture		10		
		Others				

This return has been digitally signed by KISHORE KUMAR in the capacity of Self
 having PAN BMSPK9401N from IP Address 61.0.136.132 on 25-08-2018 at PATNA
 Dsc SI No & issuer 521329CN=Capricorn CA 2014,2.5.4.51=#131647352c56494b41532044454550204255494c44494e47,STREET=18,LAXMI NAGAR DISTRICT CENTER,ST=DELHI,2.5.4.17=#1306313130303932,OU=Certif

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

FORM
ITR-V

INDIAN INCOME TAX RETURN VERIFICATION FORM

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3,
ITR-4(SUGAM), ITR-5, ITR-7 filed but NOT verified electronically]

(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment Year

2019-20

PERSONAL INFORMATION AND THE
ACKNOWLEDGEMENT
NUMBER

Name			PAN	
KISHORE KUMAR			BMSPK9401N	
Flat/Door/Block No	Name Of Premises/Building/Village		Form Number	ITR-3
N/A				
Road/Street/Post Office	Area/Locality		Status Individual	
MEHANDIGANJ, JHAUGANJ	KANKARBAGH			
Town/City/District	State	Pin/ZipCode	Filed u/s	
PATNA	BIHAR	800020	139(1)-On or before due date	
Assessing Officer Details (Ward/Circle)			ITO WARD 4(5), PATNA	
e-Filing Acknowledgement Number			113762890310819	

COMPUTATION OF INCOME
AND TAX THEREON

1	Gross Total Income	1	587330
2	Total Deductions under Chapter-VI-A	2	31670
3	Total Income	3	555660
3a	Deemed Total Income under AMT/MAT	3a	555660
3b	Current Year loss, if any	3b	0
4	Net Tax Payable	4	24577
5	Interest and Fee Payable	5	0
6	Total Tax, Interest and Fee Payable	6	24577
7	Taxes Paid		
a	Advance Tax	7a	0
b	TDS	7b	24574
c	TCS	7c	0
d	Self Assessment Tax	7d	0
e	Total Taxes Paid (7a+7b+7c+7d)	7e	24574
8	Tax Payable (6-7e)	8	0
9	Refund (7e-6)	9	0
10	Exempt Income		
	Agriculture		
	Others	0	0

VERIFICATION

I, **KISHORE KUMAR** son/ daughter of **BANGALI LAL MANDAL**, solemnly declare that to the best of my knowledge and belief, the information given in the return which has been submitted by me vide acknowledgement number **113762890310819** is correct and complete and is in accordance with the provisions of the Income-tax Act, 1961. I further declare that I am making this return in my capacity as **Self** and I am also competent to make this return and verify it. I am holding permanent account number **BMSPK9401N**.

Sign here

If the return has been prepared by a Tax Return Preparer (TRP) give further details as below

Identification No. of TRP	Name of TRP	Counter Signature of TRP

For Office Use Only

Receipt No

Date of submission

31-08-2019 12:29:27

Source IP address

103.88.59.63

Seal and signature of
receiving official

BMSPK9401N0311376289031081967F03590E79DD5AEB09AA56FAB7B5468BEF87458

Please send the duly signed (preferably in blue ink) Form ITR-V to "Centralized Processing Centre, Income Tax Department, Bengaluru 560500", by **ORDINARY POST OR SPEED POST ONLY**, so as to reach **within 120 days** from date of submission of ITR. Form ITR-V shall not be received in any other office of the Income-tax Department or in any other manner. The confirmation of receipt of this Form ITR-V at ITD-CPC will be sent to the e-mail Id **kishor1884@rediffmail.com**

On successful verification, the acknowledgement can be downloaded from e-Filing portal as a proof of filing the return.

THIS IS NOT A PROOF FOR HAVING FILED THE RETURN

7

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT				Assessment Year 2020-21	
[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified] (Please see Rule 12 of the Income-tax Rules, 1962)					
PAN	BMSPK9401N				
Name	KISHORE KUMAR				
Address	SHIV CHAL MAL, , MEHANDIGANJ, JHAUGANJ, Ranipur Milki Chak, PATNA, , 800008				
Status	Individual	Form Number	ITR-3		
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	177809690100121		
Taxable Income and Tax details	Current Year business loss, if any	1	0		
	Total Income		811090		
	Book Profit under MAT, where applicable	2	0		
	Adjusted Total Income under AMT, where applicable	3	811090		
	Net tax payable	4	77707		
	Interest and Fee Payable	5	0		
	Total tax, interest and Fee payable	6	77707		
	Taxes Paid	7	77709		
Dividend Distribution Tax details	(+)Tax Payable /(-)Refundable (6-7)	8	0		
	Dividend Tax Payable	9	0		
	Interest Payable	10	0		
	Total Dividend tax and interest payable	11	0		
	Taxes Paid	12	0		
Accreted Income & Tax Detail	(+)Tax Payable /(-)Refundable (11-12)	13	0		
	Accreted Income as per section 115TD	14	0		
	Additional Tax payable u/s 115TD	15	0		
	Interest payable u/s 115TE	16	0		
	Additional Tax and interest payable	17	0		
	Tax and interest paid	18	0		
	(+)Tax Payable /(-)Refundable (17-18)	19	0		
Income Tax Return submitted electronically on <u>10-01-2021 13:52:44</u> from IP address <u>103.76.211.250</u> and verified by <u>KISHORE KUMAR</u>					
having PAN <u>BMSPK9401N</u> on <u>12-01-2021 18:42:17</u> from IP address <u>103.76.211.250</u> using					
Electronic Verification Code <u>CF48F1BE5I</u> generated through <u>Aadhaar OTP</u> mode.					
<u>DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU</u>					

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3, ITR-4, ITR-5, ITR-6, ITR-7 filed and verified electronically]

Assessment Year
2019-20

PERSONAL INFORMATION AND THE ACKNOWLEDGEMENT NUMBER	Name				PAN		
	MRIDULA SINHA				IMFPS0231E		
	Flat/Door/Block No		Name Of Premises/Building/Village		Form Number	ITR-2	
	N/A		ASHOK LOHIYA NAGAR				
	Road/Street/Post Office		Area/Locality				
	ROAD 11		KANKARBAGH		Status Individual		
	Town/City/District		State		Pin/ZipCode		
	PATNA				800020		
	Assessing Officer Details (Ward/Circle)		ITO WARD 5(2), PATNA				
	e-filing Acknowledgement Number		971773010300819				
COMPUTATION OF INCOME AND TAX THEREON	1	Gross total income				1	40000
	2	Total Deductions under Chapter-VI-A				2	0
	3	Total Income				3	40000
	3a	Deemed Total Income under AMT/MAT				3a	40000
	3b	Current Year loss, if any				3b	0
	4	Net tax payable				4	0
	5	Interest and Fee Payable				5	0
	6	Total tax, interest and Fee payable				6	0
	7	Taxes Paid	a	Advance Tax	7a	0	
			b	TDS	7b	0	
			c	TCS	7c	0	
			d	Self Assessment Tax	7d	0	
			e	Total Taxes Paid (7a+7b+7c +7d)	7e	0	
8	Tax Payable (6-7e)				8	0	
9	Refund (7e-6)				9	0	
10	Exempt Income	Agriculture			10	0	
		Others					

Income Tax Return submitted electronically on 30-08-2019 11:20:45 from IP address 103.88.59.63 and verified by MRIDULA SINHA having PAN IMFPS0231E on 13-09-2019 12:06:06 from IP address 103.88.59.63 using Electronic Verification Code PBJT8ZEDLI generated through Aadhaar OTP mode.

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU

INDIAN INCOME TAX RETURN ACKNOWLEDGEMENT

[Where the data of the Return of Income in Form ITR-1 (SAHAJ), ITR-2, ITR-3,
ITR-4(SUGAM), ITR-5, ITR-6, ITR-7 filed and verified]
(Please see Rule 12 of the Income-tax Rules, 1962)

Assessment Year
2020-21

PAN	IMFPS0231E		
Name	MRIDULA SINHA		
Address	Near Gaytri Utsav hall, , Ashok Nagar Road no-11, Kankarbagh, Patna, , 800020		
Status	Individual	Form Number	ITR-2
Filed u/s	139(1)-On or before due date	e-Filing Acknowledgement Number	176243190100121
Taxable Income and Tax details	Current Year business loss, if any	1	0
	Total Income		190000
	Book Profit under MAT, where applicable	2	0
	Adjusted Total Income under AMT, where applicable	3	190000
	Net tax payable	4	0
	Interest and Fee Payable	5	0
	Total tax, interest and Fee payable	6	0
	Taxes Paid	7	0
	(+)Tax Payable /(-)Refundable (6-7)	8	0
Dividend Distribution Tax details	Dividend Tax Payable	9	0
	Interest Payable	10	0
	Total Dividend tax and interest payable	11	0
	Taxes Paid	12	0
	(+)Tax Payable /(-)Refundable (11-12)	13	0
Accreted Income & Tax Detail	Accreted Income as per section 115TD	14	0
	Additional Tax payable u/s 115TD	15	0
	Interest payable u/s 115TE	16	0
	Additional Tax and interest payable	17	0
	Tax and interest paid	18	0
	(+)Tax Payable /(-)Refundable (17-18)	19	0

Income Tax Return submitted electronically on 10-01-2021 13:11:00 from IP address 103.74.111.76 and verified by MRIDULA SINHA

having PAN IMFPS0231E on 21-01-2021 18:27:07 from IP address 103.74.111.76 using

Electronic Verification Code CFC8IS3V6I generated through Aadhaar OTP mode.

DO NOT SEND THIS ACKNOWLEDGEMENT TO CPC, BENGALURU