




BASEMENT FLOOR PLAN (BLOCK-C)



(BASEMENT FLOOR PLAN) COMMERCIAL BLOCK-A+B



FRONT ELEVATION BLOCK-C



SECTION AT-XX BLOCK-C

SPECIFICATION

- 1. R.C.C. LINERS REINFORCED PER FOUNDATION AS PER DETAIL GIVEN IN THE DRAWING
- 2. ALL CLASH WORK SHALL BE IN CEMENT MORTAR JOINTS BY SLIPER STRUCTURE
- 3. HEIGHT OF PLINTH FLOOR AREA MENTIONED IN SECTION
- 4. 40 MM P.C. OVER 1.5 METRE BRIDGED AREA OVER PLANT ROOMS OVER LOCAL BODY FLOOR
- 5. 40 MM P.C. OVER ALL ROOFS AND TERRACES
- 6. 40 MM P.C. OVER ALL ROOFS AND TERRACES
- 7. 40 MM P.C. OVER ALL ROOFS AND TERRACES
- 8. 40 MM P.C. OVER ALL ROOFS AND TERRACES
- 9. 40 MM P.C. OVER ALL ROOFS AND TERRACES
- 10. 40 MM P.C. OVER ALL ROOFS AND TERRACES

SCHEDULE OF DOORS & WINDOWS

TYPE	WIDTH	HTL	QTY
D1	1.50	2.10	7.00
D2	0.90	2.10	2.00
D3	0.90	2.10	2.00
D4	1.20	2.10	1.00
D5	0.90	2.10	1.00
D6	0.90	2.10	1.00
D7	0.90	2.10	1.00
D8	0.90	2.10	1.00
D9	0.90	2.10	1.00
D10	0.90	2.10	1.00
D11	0.90	2.10	1.00
D12	0.90	2.10	1.00
D13	0.90	2.10	1.00
D14	0.90	2.10	1.00
D15	0.90	2.10	1.00
D16	0.90	2.10	1.00
D17	0.90	2.10	1.00
D18	0.90	2.10	1.00
D19	0.90	2.10	1.00
D20	0.90	2.10	1.00
D21	0.90	2.10	1.00
D22	0.90	2.10	1.00
D23	0.90	2.10	1.00
D24	0.90	2.10	1.00
D25	0.90	2.10	1.00
D26	0.90	2.10	1.00
D27	0.90	2.10	1.00
D28	0.90	2.10	1.00
D29	0.90	2.10	1.00
D30	0.90	2.10	1.00
D31	0.90	2.10	1.00
D32	0.90	2.10	1.00
D33	0.90	2.10	1.00
D34	0.90	2.10	1.00
D35	0.90	2.10	1.00
D36	0.90	2.10	1.00
D37	0.90	2.10	1.00
D38	0.90	2.10	1.00
D39	0.90	2.10	1.00
D40	0.90	2.10	1.00
D41	0.90	2.10	1.00
D42	0.90	2.10	1.00
D43	0.90	2.10	1.00
D44	0.90	2.10	1.00
D45	0.90	2.10	1.00
D46	0.90	2.10	1.00
D47	0.90	2.10	1.00
D48	0.90	2.10	1.00
D49	0.90	2.10	1.00
D50	0.90	2.10	1.00
D51	0.90	2.10	1.00
D52	0.90	2.10	1.00
D53	0.90	2.10	1.00
D54	0.90	2.10	1.00
D55	0.90	2.10	1.00
D56	0.90	2.10	1.00
D57	0.90	2.10	1.00
D58	0.90	2.10	1.00
D59	0.90	2.10	1.00
D60	0.90	2.10	1.00
D61	0.90	2.10	1.00
D62	0.90	2.10	1.00
D63	0.90	2.10	1.00
D64	0.90	2.10	1.00
D65	0.90	2.10	1.00
D66	0.90	2.10	1.00
D67	0.90	2.10	1.00
D68	0.90	2.10	1.00
D69	0.90	2.10	1.00
D70	0.90	2.10	1.00
D71	0.90	2.10	1.00
D72	0.90	2.10	1.00
D73	0.90	2.10	1.00
D74	0.90	2.10	1.00
D75	0.90	2.10	1.00
D76	0.90	2.10	1.00
D77	0.90	2.10	1.00
D78	0.90	2.10	1.00
D79	0.90	2.10	1.00
D80	0.90	2.10	1.00
D81	0.90	2.10	1.00
D82	0.90	2.10	1.00
D83	0.90	2.10	1.00
D84	0.90	2.10	1.00
D85	0.90	2.10	1.00
D86	0.90	2.10	1.00
D87	0.90	2.10	1.00
D88	0.90	2.10	1.00
D89	0.90	2.10	1.00
D90	0.90	2.10	1.00
D91	0.90	2.10	1.00
D92	0.90	2.10	1.00
D93	0.90	2.10	1.00
D94	0.90	2.10	1.00
D95	0.90	2.10	1.00
D96	0.90	2.10	1.00
D97	0.90	2.10	1.00
D98	0.90	2.10	1.00
D99	0.90	2.10	1.00
D100	0.90	2.10	1.00

PROPOSED COMMERCIAL-CUM-RESIDENTIAL BUILDING OF - BHAWANI HOMES PROJECTS PVT. LTD. Managing Director - SRI SANJAY KUMAR SINGH S/O Late RAMNATH SINGH ON SURVEY PLOT NO-2198 2211A 2212 (OLD 3919 942 (NEW) THANA NO-189, KHATA NO-42, 510 (OLD) 483 (NEW) TALUKA NO - GOVT. OF BIHAR, WARD NO - 16, MAULAZA - JADUA, P.O. SURVEY THANA-HAJIPLA, DIST-VAISHALI

NORTH


SCALE 1:100

SHEET NO. 02/06


Manoj Kumar
Architect
Major Engineer No. AR-11/2018

SIGN OF ARCHITECT

Handwritten notes and signatures, including 'S.No. 8/2118' and other project-related markings.



(GROUND FLOOR PLAN)
COMMERCIAL BLOCK-A



(FIRST FLOOR PLAN)
COMMERCIAL BLOCK-A+B

SPECIFICATION

1. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

2. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

3. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

4. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

5. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

6. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

7. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

8. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.


9. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

10. ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE S.P.D.C. SPECIFICATIONS FOR BUILDINGS AND STRUCTURES.

NO.	DESCRIPTION	QTY.	UNIT	AMOUNT
1
2
3
4
5
6
7
8
9
10

PROJECT: COMMERCIAL BLOCK A+B
 DRAWING NO: 5-NO 61/10
 DATE: 10/10/10
 DRAWN BY: [Signature]
 CHECKED BY: [Signature]
 APPROVED BY: [Signature]


Handwritten notes and signatures in the bottom right corner, including the drawing number '5-NO 61/10' and various initials.



GROUND FLOOR PLAN (BLOCK-C)




TYPICAL FLOOR PLAN (1ST TO 6TH) (BLOCK-C)



TERRACE FLOOR PLAN (BLOCK-C)



SECTION AT-VY BLOCK-C




SIDE ELEVATION BLOCK-C

SPECIFICATION

ALL WORKMANSHIP TO BE IN ACCORDANCE WITH THE SINGAPORE BUILDING REGULATIONS AND THE SINGAPORE STANDARD SPECIFICATIONS FOR BUILDINGS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE RELEVANT AUTHORITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION AND PRESERVATION OF ALL EXISTING UTILITIES AND STRUCTURES TO REMAIN. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION AND PRESERVATION OF ALL EXISTING UTILITIES AND STRUCTURES TO REMAIN.

PROPOSED CONTRACTOR: SINGAPORE BUILDING PRODUCTS PVT LTD
 Managing Director: SRI SUNDAR SUNDAR
 SINGAPORE BUILDING PRODUCTS PVT LTD
 100, ROBINSON ROAD, SINGAPORE 068912
 TEL: 6733 1111 FAX: 6733 1112
 E-MAIL: SALES@SBP.COM.SG
 SINGAPORE BUILDING PRODUCTS PVT LTD
 100, ROBINSON ROAD, SINGAPORE 068912
 TEL: 6733 1111 FAX: 6733 1112
 E-MAIL: SALES@SBP.COM.SG




Handwritten notes and signatures in the bottom right corner, including a signature and the text 'SINGAPORE BUILDING PRODUCTS PVT LTD'.




TYPICAL FLOOR PLAN
(BLOCK-A) 2nd to 6th



TYPICAL FLOOR PLAN
(BLOCK-B) 2nd to 6th



TERRACE FLOOR PLAN
(BLOCK-A)



TERRACE FLOOR PLAN
(BLOCK-B)

1. ALL DIMENSIONS ARE IN METERS
2. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
3. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
4. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
5. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
6. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
7. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
8. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
9. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED
10. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED

MINIMUMS OF ROOMS & WALLS

NO.	ROOM	MINIMUM AREA (SQ. M)	MINIMUM PERIMETER (M)
1	Living Room	12.00	18.00
2	Bed Room	8.00	12.00
3	Bathroom	4.00	6.00
4	Kitchen	6.00	8.00
5	Hallway	2.00	3.00
6	Staircase	3.00	4.00
7	Storage	1.00	1.50
8	W.C.	1.50	2.00
9	Shower	1.50	2.00
10	Laundry	2.00	3.00

PROPOSED COMMERCIAL AND RESIDENTIAL BUILDING
 BANGKOK IMPRES PROJECTS, PVT. LTD.
 Managing Director - BRIJANAND KUMAR
 SINGH & Co. (P) Private Limited
 ON SURVEY PLOT NO. 209, 210, 211, 212
 WARD NO. 10, DISTRICT OF SOUTH
 BANGKOK, THAILAND. AREA 100
 SQUARE METERS. APPROVED BY
 THE BANGKOK MUNICIPAL CORPORATION
 IN 1988.

Handwritten notes and signatures in the bottom right corner of the drawing, including a date '20/10/1988' and a signature.

फारम - VIII - क
 भवन की परमिट के अनुमोदन का फारम
 उपविधि संख्या - 8(4)

आपका आवेदन संख्या - 44, तिथि - 10.2.18 के संदर्भ में श्रीमती/श्री 21/02/18 के लिए

- (क) भवन के निर्माण
 (ख) भवन के पुननिर्माण
 (ग) भवन के परिवर्तन
 (घ) विद्यमान भवन में परिवर्तन या परिवर्धन
 (ङ) भवन के उपयोग में परिवर्तन

श्रीमती/श्री 21/02/18 के लिए
 श्रीमती/श्री 21/02/18 के लिए
 श्रीमती/श्री 21/02/18 के लिए

..... 61/01/41..... नगर निगम/नगर परिषद्/नगर पंचायत/महानगर क्षेत्र/बिहार शहरी आयोजना
 तथा विकास अधिनियम 2012 के अधीन अधिसूचित 21.6.21..... विकास योजना/आयोजना प्राधिकार/आयोजना
 स्कीम के 31.6.21.1..... प्लॉट नं० (सी०एस०) 9.42, 9.39....., प्लॉट नं० (एम०एस०पी०) 1.....,
 खाता नं० 257-403 होलिंग नं० 1....., गाँव 1....., मोहल्ला 6/30/1.....,
 वार्ड नं० 3/9..... के बावत निम्नलिखित शर्तों/निर्वधनों के अध्याधीन एतद् द्वारा अनुमति प्रदान की जाती है :-

- (क) भूमि/भवन का उपयोग अनन्य रूप से 31.9.11.24..... प्रयोजन के लिए किया जाएगा और इस
 प्राधिकार के पूर्व अनुमोदन के बिना उपयोगों को किसी अन्य उपयोग के लिए परिवर्तित नहीं किया जाएगा।
 (ख) विकास पूर्ण रूप से आवश्यक अनुमति के पृष्ठांकन के साथ संलग्न योजनाओं के अनुसार किया जाएगा।
 (ग) अनुमोदित योजना में दर्शाया गया 3869.94 वर्गमीटर का पार्किंग स्थान खुला रखा जाएगा और इसके
 किसी भाग पर निर्माण नहीं किया जाएगा।
 (घ) प्रस्तावित निर्माण वाली भूमि 60..... मीटर चौड़ाई के अनुमोदित पहुँच मार्ग के माध्यम से सुगम्य
 होगी।
 (ङ) प्रश्नगत भूमि आवेदक के विधिपूर्ण स्वामित्व एवं शांतिपूर्ण कब्जा में अवश्य हो।
 (च) सड़क को मानक चौड़ाई तक और चौड़ी करने के लिए आवेदक, विभिन्न विकास योजना/आयोजना प्राधिकारों/या
 बिहार शहरी आयोजना तथा विकास अधिनियम, 2012 के अधीन अधिसूचित किसी योजना स्कीम के अधीन
 आच्छादित सुसंगत आयोजना प्राधिकार/ग्राम पंचायत क्षेत्रों के अधीनस्थ 61/01/41..... नगर
 निगमों/नगर परिषद्/नगर पंचायत/महानगर क्षेत्र/आयोजना क्षेत्र/आयोजना क्षेत्र में 1..... मीटर चौड़ी भूमि
 की पट्टी मुफ्त उपहार के रूप में देगा।
 (छ) अनुमति (अनुज्ञा) जारी किए जाने की तारीख से तीन वर्षों की अवधि के लिए विधिमान्य होगी।
 (ज) इस उपबंध के अधीन दी गयी अनुमति को उस भूखंड, जिसके लिए योजना अनुमोदित की गयी हो, के अधिकार,
 हक, हित की बाबत साक्ष्य नहीं मानी जाएगी।
 (झ) योजना के अनुमोदन के पश्चात् भू-अभिलेख के कारण या अधिकार/हक/हित की बाबत कोई विवाद होने पर विवाद
 की अवधि के दौरान योजना का अनुमोदन स्वतः रद्द समझी जाएगी।
 (ञ) कोई अन्य शर्त।

नगर कार्यपालक पदाधिकारी,
 नगर परिषद्, हाजीपुर
 22/2/18

ज्ञापांक सं० 61....., दिनांक 21/2/18.....
 प्रतिलिपि : अनुमोदित योजनाओं की 03..... प्रतियों के साथ श्रीमती/श्री 21/02/18 के लिए

नगर कार्यपालक पदाधिकारी,
 नगर परिषद्, हाजीपुर
 22/2/18